HP Color LaserJet Managed MFP E786dn Printer Series



Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers 'you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.³
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.⁴

Customizable solutions built to last.

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.³
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate
 paper and digital workflows.²

Always on guard with HP Wolf Security.⁵

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
 Run-time intrusion detection is always on guard. Common Criteria certified ⁶ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield[™] with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled
 or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁹ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.⁷
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹¹

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in)
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button

17. Right door access to the print path

- 18. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
- 19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



Series at a glance

Model	HP Color LaserJet Managed MFP E786dn		
Product number	5QJ90A	5QJ90A (Base) + 8EP56AAE (Speed license)	5QJ90A (Base) + 8EP57AAE (Speed license)
Print speed (A4 and letter, Black and color) ³	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm
Scan speed (A4 and letter, Black and color) ⁴	90 ppm/180 ipm, simplex/duplex		
Functions	Print, copy, and scan (fax and wi	reless optional) (all models)	
ADF capacity	200 sheets		
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)		
Advanced workflow features	No		

¹ Solutions deployed through the Hardware htegration Pocket (HP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ Measured using 50/EC 24734, excludes first set of test documents. For more information, seehp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor.

Definitize your workflows and help increase productivity with upgradeable hardware options and scalable solutions to support your workforce for today and tomorrow. HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, and adapts to new threats. ¹ We keep trouble

out so you can keep your business running. Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards ⁷; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03GVE - HP 1 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03GWE - HP 3 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03GVE - HP 5 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03GVE - HP 3 year A hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03GZE - HP 3 year A hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03GZE - HP 3 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H0E - HP 4 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H2E - HP 1 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H2E - HP 1 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H2E - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H2E - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H4E - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H5PE - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H5PE - HP 3 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03H5PE - HP 2 year Post Warranty A hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H5PE - HP 1 year POst
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

	NUT LASEFJET M	lanaged MFP E786dn Printer Series
Accessories	155P7A	HP LaserJet InnerFinisher 2/3 Hole Punch
	155P9A	HP LaserJet Inner Finisher Swedish Hole Punch
	190A0A	HP Color LaserJet Workgroup Lunar Gray Color Panel
	190A3A	HP Laser Jet Department Lunar Gray Color Panel
	190A6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
	190A7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190A9A	HP Laser Jet Workgroup Stand Lunar Gray Color Panel
	190B0A	HP Color LaserJet Workgroup Comet Red Color Panel
	190B3A 190B6A	HP Laser Jet Department Comet Red Color Panel
	190B6A 190B7A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel HD LaserJet Workgroup Kink Conzeity Paper Tray/Stand Conzet Red Color Panel
	190B7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel HP LaserJet Workgroup Stand Comet Red Color Panel
	190C0A	HP Color LaserJet Workgroup Constic Green Color Panel
	190C3A	HP LaserJet Department Cosmic Green Color Panel
	190C6A	The Dascrigt Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190C9A	HP LaserJet Workgroup Stand Cosmic Green Color Panel
	190D0A	HP Color LaserJet Workgroup Constellation Yellow Color Panel
	190D3A	HP LaserJet Department Constellation Yellow Color Panel
	190D6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	190D7A	HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel
	190D9A	HP LaserJet Workgroup Stand Constellation Yellow Color Panel
	190F0A 190F3A	HP Color LaserJet Workgroup Aurora Purple Color Panel
	190F5A	HP LaserJet Department Aurora Purple Color Panel HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F7A	The Lase Let Workgroup ZX26 sheet raper Tray/Static Autorarabipe Color Panel
	190F9A	HP Laser Let Workgroup Stand Aurora Purple Color Panel
	2MU47A	The Decession of the procession of the processio
	2NR12A	HP Removable Hard Drive Enclosure
	2TD64A	HP Accessibility Kit
	35H11A	HP HID Mobile Access Mifare DES Fire Keystroking Reader
	3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	478C2A	HP Printing Voice Assistant
	4QL32A	HP Legic Secure USB Reader
	4XN67A	Internal USB Expansion Kit
	5QK14A 63C80A	HP MFP 810 Analog Dual Fax
	63C80A	HP Laser Jet Stapler/Stacker Finisher with Print Quality Diagnostics HD Laser Let Paoldet Finisher with Print Quality Diagnostics
	63C82A	HP LaserJet Booklet Finisher with Print Quality Diagnostics HP LaserJet Stacker with Print Quality Diagnostics
		HP Laser Let Xx52 where Workgroup Paper Tray/Stand
	6GW48A	HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand
		HP LaserJet Inner Finisher
		HP LaserJet Booklet Finisher
		HP LaserJet Workgroup Job Separator
	6GW54A	HP LaserJet Workgroup Stand
		HP Laser Jet Stapler/Stacker Finisher
	6HN31A	HP 500GB CCC, FIPS, TAA Hard Disk Drive
	7ZA07A	HP MFP 811 Analog Dual Fax
	7ZA08A	HP MFP 800 Analog Single Fax
	7ZA09A 8FP31A	HP NFP 801 Analog Single Fax
	9EQ11A	HP Jetdirect LAN Accessory
	B5L31A	HP SOOGB CCC, FIPS Hard Disk Drive HP Foreign Interface Harness
	CC543B	HP SmartCard NIPRNet Solution for US Government
	F8B30A	HP SmartCard SIPRNet Solution for US Government
	X3D03A	HP USB Universal Card Reader
	Y1G10A	HP LaserJet Hole Punch 2/3 Accessory
	Y1G11A	HP LaserJet Hole Punch 2/4 Accessory
	Y1G13A	HP LaserJet Inner/Booklet Staples
	Y1G14A	HP LaserJet Stapler/Stacker Finisher Staples
	Y1G22A	HP LaserJet Paper Tray Heaters Accessory
	Y1G23A	HP Laser Jet Second Exit Accessory
	Y7C05A	HP HIP2 Keystroke Reader
	Y7C07A	HP SIM for HID iClass for HIP2 Reader
Speed Licenses	8EP56AAE	HP Color LaserJet Managed MFP E786 25 to 30ppm License
		HP Color LaserJet Managed MFP E786 25 to 35ppm License
		HP Color LaserJet Managed MFP E786 30 to 35ppm License
Supplies	1	
Jupplies		HP W9048MC Managed LaserJet Toner Collection Unit
		HP W9074MC Black Managed LaserJet Imaging Drum
		HP W9075MC Color Managed LaserJet Imaging Drum
		HP W9140MC Black Managed LaserJet Toner Cartridge
		HP W9141MC Cyan Managed LaserJet Toner Cartridge
		HP W9142MC Yellow Managed LaserJet Toner Cartridge
		HP W9143MC Magenta Managed LaserJet Toner Cartridge
		HP W9150MC High Yield Black Managed LaserJet Toner Cartridge HD W9151MC High Yield Cyap Managed LaserJet Toner Cartridge
		HP W9151MC High Yield Cyan Managed LaserJet Toner Cartridge HP W9152MC High Yield Yallow Managed LaserJet Toner Cartridge
	100100	The Rest rest registrice in legislice maintiged calculate former calculations
* HP LaserJet Workflow	W9153MC	HP W9152MC High Yield Yellow Managed LaserJet Toner Cartridge HP W9153MC High Yield Magenta Managed LaserJet Toner Cartridge 6HN30A will beavailablein January 2023.

Data sheet | HP Color LaserJet Managed MFP E786dn Printer Series

-		• • •
Technical	CDOCIT	icationc
IECHINCAL	SUELI	ICALIOUS

Functions	Print, copy, scan, fax (optional)	1			
Print speed ^{3,4}	Letter Black	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)	
	Letter Color	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)	
	A4 Black	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)	
	A4 Color	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)	
	First page out Letter Black	As fast as 11.1 sec	As fast as 9.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE)	
	First page out Letter Color	As fast as 13.0 sec	As fast as 11.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE)	
	First page out A4 Black	As fast as 11.1 sec	As fast as 9.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE)	
Duint uses huting	First page out A4 Color	As fast as 13.0 sec	As fast as 11.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE)	
Print resolution			600 x 600 dpi; Black (fine lines): Up to 1200 x 120 to 1200 x 1200 dpi	u api; Color (best): Up to 1200 x 1200 aj	
Print technology	Laser; Optical: Normal (600 x 600 4 bi				
rint cartridges number	4 (1 each black, cyan, magenta, yellow)				
Standard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible				
Printer smart software eatures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB				
Color scanning	Yes				
can speed⁵	Normal Letter: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) ; A4: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) Duplex Letter: Up to 180 ipm (b&w), up to 180 ipm (color) ; A4: Up to 180 ipm (b&w), up to 180 ipm (color)				
Scan type / Technology	ADF; Flatbed / D-CIS; Platen Scanner (CCD)			
can resolution	Hardware: Up to 600 x 600 dpi; Optic				
can file format	Hi-Compression PDF; JPEG; MTIFF; PD				
can input modes				ility Platform (OXD) HD Workpath	
· · · · · · · ·	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications				
ican Size	,	/ in АЛ- міпітит: 68 x 127 mm; 2.7	x 5 in Flatbed: 297 x 432 mm; 11.69 x 17 in		
Ouplex ADF scanning	Yes, single pass duplex scanning				
DF capacity	Standard, 200 sheets				
wain version	Version 2.4				
iit depth / Grayscale levels	24-bit/256				
igital sending standard	Scan to Email; scan to network folder	; scan to USB drive; scan to SharePo	int; scan to FTP; scan to sFTP; scan to LAN fax; sca	n to Internet Fax; local address book; SM	
eatures	over SSL; automatically detect color/r text/picture (text, mixed, printed picto page suppression; automatically strai	nonochrome; high compression PDF ure, photograph); content orientatio ghten	nt; scan to FTP; scan to sFTP; scan to LAN fax; sca ; image adjustments (darkness, contrast, backgrou n; scan mode (book, 2-sided ID); erase edges; auto	und cleanup, sharpness); optimize page crop; job build; image preview; bla	
opy speed	Letter Black	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)	
op) op cou	Letter Color	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)	
	A4 Black	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)	
	A4 Color	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)	
	Letter Black Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)	
	Letter Color Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)	
	A4 Black Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)	
	A4 Color Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)	
	First copy out Letter Black	As fast as 6.7 sec	As fast as 5.4 sec (with 8EP56AAE)	As fast as 4.8 sec (with 8EP57AAE)	
	First copy out Letter Color	As fast as 8.9 sec	As fast as 7.6 sec (with 8EP56AAE)	As fast as 6.8 sec (with 8EP57AAE)	
	First copy out A4 Black	As fast as 6.7 sec	As fast as 5.4 sec (with 8EP56AAE)	As fast as 4.8 sec (with 8EP57AAE)	
	First copy out A4 Color	As fast as 8.9 sec	As fast as 7.6 sec (with 8EP56AAE)	As fast as 6.8 sec (with 8EP57AAE)	
lopy resolution	Black (text and graphics): ; Up to 600				
laximum number of copies	3 1 1 1				
opier resize	25 to 400%				
Copier settings		age overlay; Image shift; İmage previe	b build; N or Z-ordering; N-up; Text/Photo; Two-sic w; Paper selection; Blank page suppression; Scan		
	Up to: 33.6 kbps / Letter: 3 sec per pa	ge			
ax speed	Black (best): Up to 300×300 dpi (400×400 dpi for received faxes only); Black (standard): 203×98 dpi				
ax speed ax resolution	Black (best): Up to 300 x 300 dpi (40	0 x 400 dpi for received faxes only):	Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: Yes fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barri supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported:		
	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax ph supported: Yes Maximum speed dialir	500 pages Auto fax reduction suppo one TAM interface supported: No Fax ig numbers: Up to 1000 numbers (ex	rted: Yes Auto-redialing: Yes Fax delayed sending: cpolling supported: Yes (poll to receive only) Fax t	elephone mode supported: No Junk barri	
ax resolution ax Features	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax ph supported: Yes Maximum speed dialin No Telephone handset supported: No	500 pages Auto fax reduction supported: No Fax none TAM interface supported: No Fax ng numbers: Up to 1000 numbers (ex	rted: Yes Auto-redialing: Yes Fax delayed sending: cpolling supported: Yes (poll to receive only) Fax t	elephone mode supported: No Junk barri I: Yes Remote retrieval capability supporte	
ax resolution ax Features tandard connectivity	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax pf supported: Yes Maximum speed dialir No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T ne	500 pages Auto fax reduction support none TAM interface supported: No Fax ig numbers: Up to 1000 numbers (ex twork; 1 Hardware Integration Pocke	rted: Yes Auto-redialing: Yes Fax delayed sending: x polling supported: Yes (poll to receive only) Fax t ach with 210 destinations) PC interface supported	elephone mode supported: No Junk barri I: Yes Remote retrieval capability supporte	
ax resolution ax Features tandard connectivity etwork capabilities	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax pf supported: Yes Maximum speed dialir No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T ne SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/10	500 pages Auto fax reduction support one TAM interface supported: No Fax ig numbers: Up to 1000 numbers (ex twork; 1 Hardware Integration Pocke 00T Ethernet)	rted: Yes Auto-redialing: Yes Fax delayed sending: x polling supported: Yes (poll to receive only) Fax t ach with 210 destinations) PC interface supported	elephone mode supported: No Junk barr I: Yes Remote retrieval capability support	
ax resolution ax Features tandard connectivity etwork capabilities Vireless capability	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax pr supported: Yes Maximum speed dialir No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T ne SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/10 Optional, enabled with purchase of a	500 pages Auto fax reduction support one TAM interface supported: No Fai ig numbers: Up to 1000 numbers (ex twork; 1 Hardware Integration Pocke 00T Ethernet) hardware accessory	orted: Yes Auto-redialing: Yes Fax delayed sending: k polling supported: Yes (poll to receive only) Fax t ach with 210 destinations) PC Interface supported t 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host	elephone mode supported: No Junk barr I: Yes Remote retrieval capability support	
ax resolution ax Features tandard connectivity etwork capabilities /ireless capability lobile printing capability	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax pf supported: Yes Maximum speed dialin No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T ne SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/10 Optional, enabled with purchase of a Apple AirPrint™; Mopria™ Certified; Wit	500 pages Auto fax reduction support one TAM interface supported: No Fai ig numbers: Up to 1000 numbers (ex twork; 1 Hardware Integration Pocke 00T Ethernet) hardware accessory	orted: Yes Auto-redialing: Yes Fax delayed sending: k polling supported: Yes (poll to receive only) Fax t ach with 210 destinations) PC Interface supported t 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host	elephone mode supported: No Junk barr I: Yes Remote retrieval capability support	
ax resolution ax Features tandard connectivity etwork capabilities /ireless capability lobile printing capability lemory	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax pr supported: Yes Maximum speed dialin No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T ne SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/10 Optional, enabled with purchase of a Apple AirPrint™, Mopria™ Certified; Wi Standard:6 GB; Maximum:6 GB	500 pages Auto fax reduction support one TAM interface supported: No Fai ig numbers: Up to 1000 numbers (ex twork; 1 Hardware Integration Pocke 00T Ethernet) hardware accessory -Fi® Direct Printing; NFC Touch-to-pr	orted: Yes Auto-redialing: Yes Fax delayed sending: k polling supported: Yes (poll to receive only) Fax t ach with 210 destinations) PC Interface supported t 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host	elephone mode supported: No Junk barr I: Yes Remote retrieval capability support	
ax resolution ax Features tandard connectivity etwork capabilities Vireless capability lobile printing capability lemory rocessor speed	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax pr supported: Yes Maximum speed dialin No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T ne SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/10 Optional, enabled with purchase of a Apple AirPrint™; Mopria™ Certified; Wi Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz), Dual Core (1.4GH	500 pages Auto fax reduction supported: No Fax ione TAM interface supported: No Fax ig numbers: Up to 1000 numbers (ex twork; 1 Hardware Integration Pocke 00T Ethernet) hardware accessory -Fi® Direct Printing; NFC Touch-to-pr	orted: Yes Auto-redialing: Yes Fax delayed sending: k polling supported: Yes (poll to receive only) Fax t ach with 210 destinations) PC Interface supported t 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host	elephone mode supported: No Junk barr I: Yes Remote retrieval capability support	
ax resolution ax Features itandard connectivity letwork capabilities Vireless capability lobile printing capability lemory Processor speed itorage	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax pr supported: Yes Maximum speed dialin No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T ne SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/10 Optional, enabled with purchase of a Apple AirPrint™, Mopria™ Certified; Wi Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz), Dual Core (1.4GH Standard, embedded 500 GB hard dis	500 pages Auto fax reduction supported: No Fai one TAM interface supported: No Fai og numbers: Up to 1000 numbers (ex twork; 1 Hardware Integration Pocke 00T Ethernet) hardware accessory -Fi® Direct Printing; NFC Touch-to-pr iz) ik drive	orted: Yes Auto-redialing: Yes Fax delayed sending: k polling supported: Yes (poll to receive only) Fax t ach with 210 destinations) PC interface supported t 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host int (optional); PrinterOn Print	elephone mode supported: No Juink barr : Yes Remote retrieval capability support); 1 SuperSpeed USB 3.0 (device); 1	
ax resolution ax Features itandard connectivity letwork capabilities Vireless capability lobile printing capability lemory processor speed	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax pr supported: Yes Maximum speed dialin No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T ne SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/10 Optional, enabled with purchase of a Apple AirPrint™, Mopria™ Certified; Wi Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz), Dual Core (1.4GH Standard, embedded 500 GB hard dis	500 pages Auto fax reduction supported: No Fai one TAM interface supported: No Fai og numbers: Up to 1000 numbers (ex twork; 1 Hardware Integration Pocke 00T Ethernet) hardware accessory -Fi® Direct Printing; NFC Touch-to-pr iz) ik drive	orted: Yes Auto-redialing: Yes Fax delayed sending: k polling supported: Yes (poll to receive only) Fax t ach with 210 destinations) PC Interface supported t 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host	elephone mode supported: No Junk barri : Yes Remote retrieval capability supporte); 1 SuperSpeed USB 3.0 (device); 1	
ax resolution ax Features itandard connectivity letwork capabilities Vireless capability lobile printing capability lemory processor speed itorage	Fax memory: Up to 500 pages; Up to Fax forwarding supported: Yes Fax pr supported: Yes Maximum speed dialir No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T ne superSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/10 Optional, enabled with purchase of a Apple AirPrint™, Mopria™ Certified; Wi Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz), Dual Core (1.4GF Standard, embedded 500 GB hard dis Standard, HP LaserJet 500 GB Hard Di	500 pages Auto fax reduction supported: No Fai one TAM interface supported: No Fai og numbers: Up to 1000 numbers (ex twork; 1 Hardware Integration Pocke 00T Ethernet) hardware accessory -Fi® Direct Printing; NFC Touch-to-pr iz) ik drive	orted: Yes Auto-redialing: Yes Fax delayed sending: k polling supported: Yes (poll to receive only) Fax t ach with 210 destinations) PC interface supported t 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host int (optional); PrinterOn Print	elephone mode supported: No Júnk barri : Yes Remote retrieval capability supporte); 1 SuperSpeed USB 3.0 (device); 1); 1 SuperSpeed USB 3.0 (device); 1	

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max: Up to 3140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Color Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored
Media weight supported	Imperial: Tray 1: 16 to 79.5 lb bond; Tray 2, 3: 16 to 58.5 lb bond; Metric: Tray 1: 60 to 300 g/m²; Tray 2, 3: 60 to 220 g/m²
Media sizes supported	Imperial Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio 8.5 x 13, 11 x 17, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k Metric Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k; Postcard (JIS), Envelope B5, Envelope C6, Envelope C6, Envelope D1; Tray 2: A4, A4R, A5, RA4, R4, A5, RA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SR4, A5, RA4, S4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SR44, JS, IS), Dficio, 8K, 16k
Media Sizes Custom	Imperial Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 in Metric Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm
What's in the box	50/90A In box materials; Guide install; Flver Regulatory; Power Cords; Keyboard/Overlay for Z model; Label; Drums.
Replacement cartridges ¹	HP Black Managed LJ Toner Cartridge (ISO Yield 14,500) W9140MC; HP Cyan Managed LJ Toner Cartridge (ISO Yield 12,000) W9141MC; HP Yellow Managed LJ Toner Cartridge (ISO Yield 12,000) W9142MC; HP Magenta Managed LJ Toner Cartridge (ISO Yield 12,000) W9143MC; HP Black Managed LJ Toner Cartridge (ISO Yield 29,000) W9150MC; HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9151MC; HP Yellow Managed LJ Toner Cartridge (ISO Yield 24,000) W9152MC; HP Magenta Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC
Product dimensions	W x d x h: 23 x 25.4 x 35.8 in; 585 x 646 x 908.1 mm Maximum: 66.2 x 47.1 x 48.9 in; 1681 x 1196 x 1241 mm
Product weight	~182.3 lb; ~82.7kg
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; Blue Angel; IT ECO Declaration
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted DP & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Compatible network operating systems	Windows Server; Linux; Citrix; UNIX; Novell
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage:110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 580 watts (25ppm, printing), 670 watts (30ppm, printing), 720 watts (35ppm, printing), 32.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.60 Bel(A), printing color simplex A4 at 25ppm; 6.70 Bel(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active, printing): 50 dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 30ppm; 52 dB(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

Messaging Footnotes

HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive indass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

² Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required. Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

4 HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin 5 HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details

¹ HP Security Is now the word security. Security relatives vary by plactions please see for declars Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices ¹ running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See

antp://www.epeat.net for registration status by country. 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based: Post-consumer or post-industrial recycled for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic. HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

¹¹ HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria. ¹² Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical Specifications Footnotes

- Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.
- ² Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁴ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)
- POT Scall software, we support, windows upor, Rwittening, Por, Inr., Red, Por, Joe and Color, Port and Port and Color and Port an







ients accompanying

To learn more, visit hp.com

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only waranties for HP products and services are set forth in the such products and services. Nothing herein should be construed as constituting an additional waranty. HP shall not be liable for technical or editorial errors or omissions contained herein. warranties for HP products and services are set forth in the February 2023

