# HP Color LaserJet Managed MFP E877dn Printer Series



## Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers<sup>2</sup> you'll stay secure and simplify fleet management for busy IT pros.



#### Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Get time back with industry leading print speeds up to 70ppm.<sup>6</sup>
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.<sup>1</sup>

#### Customizable solutions built to last.

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.<sup>7</sup>
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of
  expensive color matching systems.

#### Always on guard with HP Wolf Security.<sup>4</sup>

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified<sup>3</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield<sup>™</sup> is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

#### Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled
  or certified content.<sup>8</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.<sup>9</sup> Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.<sup>10</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.<sup>11</sup>

# Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)<sup>1</sup>
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port<sup>2</sup>
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3  $(11x17 \text{ in})^3$
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
- 19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12x18 in)



#### Series at a glance

Model	HP Color Laser Jet Managed MFP E877dn			
Product number	5QK03A	5QK03A (Base) + 8EP60AAE (Speed license)	5QK03A (Base) + 8EP61AAE (Speed license)	5QKO3A (Base) + 8EP62AAE (Speed license)
Print speed (A4 and letter, Black and color) <sup>3</sup>	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm
Scan speed (A4 and letter, Black and color) <sup>4</sup>	90 ppm/180 ipm, simplex/duplex			
Functions	Print, copy, and scan (fax and wireless optional) (all models)			
ADF capacity	200 sheets			
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)			
Advanced workflow features	No			

<sup>1</sup>Solutions deployed through the Hardware Integration Pocket (HP) may require additional purchase. <sup>2</sup>An administrator must enable the easy-access USB port before use. <sup>3</sup>The E877 series Flow models include a 300-sheet ADF. The E877 series dn models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). <sup>4</sup>Measured using SO/IEC 24734, excludes First set of test documents. For more information, seeh p. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>5</sup>Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>4</sup>HP EveryPage Technology is powered by ultrasonic multi-feed detection.

#### Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor. Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow. HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats.<sup>2</sup> We keep trouble out so your can keep your business running. Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

### Services and Solutions

Service and Support	U03HDE - HP 1 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx         U03HFE - HP 3 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx         U03HHE - HP 3 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx         U03HE - HP 3 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx         U03HE - HP 3 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx         U03HE - HP 3 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx         U03HE - HP 1 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx         U03HE - HP 1 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)         U03HE - HP 1 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)         U03HE - HP 3 year Arts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)         U03HE - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)         U03HE - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)         U03HE - HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx (Managed Component Only)         U03HFE - HP 1 year Dost Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx         U03HFE - HP 1 year Dost Warranty A hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx         U03HFE
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

# Data sheet | HP Color LaserJet Managed MFP E877dn Printer Series Front panel optional colors



#### \*Available with optional color panel accessories

	Available with optional color particlaccessories
Accessories	190A2A HP Color LaserJet Department Lunar Gray Color Panel
	1904A HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
	190A5A HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190A8 HP LaserJet Department Stand Lunar Gray Color Panel
	19082A HP Color LaserJet Department Comet Red Color Panel
	19084 HP LaserJet Department Zx520 sheet Paper Tray/Stand Comet Red Color Panel
	19065A HP Lase Jet Department High Capacity Paper Tray/Stand Comet Red Color Panel
	1908A HP Lase Jet Department Stand Comet Red Color Panel
	1906A HP Color LaserJet Department Cosmic Green Color Panel
	190C4A     HP Laser Jet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C4A mP Lase Jeu Department High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190CBA HP LaserJet Department Stand Cosmic Green Color Panel
	19002A HP Color LaserJet Department Constellation Yellow Color Panel
	19004A HP Laser Jet Department Zx520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	19005A HP Laser Jet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel
	1900BA HP Laser Jet Department Stand Constellation Yellow Color Panel
	190F2A HP Color LaserJet Department Aurora Purple Color Panel
	190F4A HP Laser Jet Department zxS20 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F5A HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel
	190FBA HP LaserJet Department Stand Aurora Purple Color Panel
	2NR12A HP Removable Hard Drive Enclosure
	2TD64A HP Accessibility Kit
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	4Q.32A HP Legic Secure USB Reader
	4XN67A Internal USB Expansion Kit
	5QK14A HP MFP 810 Analog Dual Fax
	6GW47A HP Laser Jet 2x520 sheet Department Paper Tray/Stand
	6GW49A HP LaserJet Inner Finisher
	6GW50A HP LaserJet Department Job Separator
	6GW51A HP LaserJet Booklet Finisher
	6GW53A HP LaserJet Department Stand
	6GW55A HP LaserJet Stapler/Stacker Finisher
	6GW56A HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand
	6GW57A HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand
	6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive
	7ZA08A HP MFP 800 Analog Single Fax
	8FP31A HP Jetdirect LAN Accessory
	9EQ11A HP 500GB CCC, FIPS Hard Disk Drive
	BSL31A HP Foreign Interface Harness
	CC543B HP SmartCard NIPRNet Solution for US Government
	F8B30A HP SmartCard SIPRNet Solution for US Government
	X3D03A HP USB Universal Card Reader
	Y1G10A HP LaserJet Hole Punch 2/3 Accessory
	Y1G11A HP LaserJet Hole Punch 2/4 Accessory
	Y1G13A HP LaserJet Inner/Booklet Staples
	Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
	Y1G22A HP LaserJet Paper Tray Heaters Accessory
	Y7C05A HP HIP2 Keystroke Reader
	Y7C07A HP SIM for HID iClass for HIP2 Reader
Speed Licenses	
Speca Licenses	8EP60AAE HP Color LaserJet Managed MFP E877 40 to 50ppm License
	8EP61AAE HP Color LaserJet Managed MFP E877 40 to 60ppm License
	8EP62ARE HP Color LaserJet Managed MFP E877 40 to 70ppm License
	8LB46AAE HP Color LaserJet Managed MFP E877 50 to 60ppm License
	8LB49AAE HP Color Laser Let Managed MFP E877 60 to 70ppm License
	8LB50AAE HP Color LaserJet Managed MFP E877 50 to 70ppm License
Supplies	W9077MC HP W9077MC Black Managed LaserJet Imaging Drum
	W9077NC HP W9078NC Color Managed LaserJet Imaging Drum (~240,000 pages)
	W9160MC HP W9160MC Black Managed LaserJet Toner Cartridge
	W9160MC HP W9161MC Cyan Managed Laser let Toner Cartridge
	W9167MC HP W9162MC Yellow Managed LaserJet Toner Cartridge
	W9163HC HP W9163HC Magnet Alamaged LaserJet Toner Cartridge
	W9170MC HP W9170MC High Vield Black Managed LaserJet Toner Cartridge
	W9171MC HP W9171MC High Held Stack Managed LaserJet Tone Cartridge
	W9172MC HP W9177MC High Yield Yellow Managed LaserJet Toner Cartridge
	W9172HC HP W9172HC High Yield Magneta Managed LaserJet Toner Cartridge

\* Inner finisher/inner finisher hole punches are not compatible with 70ppm

#### Data sheet | HP Color LaserJet Managed MFP E877dn Printer Series

Init speed <sup>14</sup> Letter Black         Up to 40 ppm         Up to 50 ppm (with BERGARE Letter Glob         Up to 50 ppm (with BERGARE	Functions	Print, copy, scan, fax (optional)					
Link sector         Link sector         Up to 42 pain         Up to 42 pai			Up to 40 ppm	Up to FO ppm (with OFDCOAAE)	Lip to CO ppm (with OEDC1AAE)	Up to 70 ppm (with OEDCOAAE)	
Math         Up to a [jp m]         Up to 2 [jp m] and it BROW	rint speed"						
Mate         Using to provide the set of provide the set							
Hist page of Letter Bod         King as 2-arc         Ning as 7-arc continues with a field as 0-brain (http://doi.org/10.10000000000000000000000000000000000							
Histogen of Letter Gov         Kales and Park         Relation of the second method.         Kales and Park         Kales and Park<					- P PP		
Price page of at M Back         A ford at 8.7 arc						As fast as 8.0 sec (with 8EP62A	
Biol. Seal: Usin 1, 2002. I 2002 g full genet. Back from Part Up to 5000 x 600 dp. Back filme Units: Up to 1200 x 1200 dp. Cador Seal: Up to 1200 x 1200		First page out A4 Black	As fast as 8.2 sec	As fast as 7.6 sec (with 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE)	As fast as 7.2 sec (with 8EP62A	
In 1600x 600, 600, 600, 600, 600, 600, 700, 100           Interdencings         Lever, Operation, Bornel Kone, Kone		First page out A4 Color	As fast as 9.7 sec	As fast as 8.8 sec (with 8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE)	As fast as 8.0 sec (with 8EP62A	
mit ar driftige Surder       41 dash back, gan, pagera, yellow)         mittager of the page.       HPT (5, CHP, 54PF More) (MeV)         mittager of the page.       HPT (5, CHP, 54PF More) (MeV)         mittager of the page.       Not service of the page.         man spect	rint resolution	Black (best): Up to 1200 x 1200 dpi full speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi full speed; Color (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): Up to 1200 x 1200 dpi full speed; Color (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi full speed; Color (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 1200 x 1200 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 600 dpi full speed; Color (normal): Up to 600 x 60					
Ended print Language         HPXL 5: LPXL 1: L	rint technology	Laser; Optical: Normal (600 x 600 4	bit); Best (1200 x 1200 1 bit)				
Transford print         The List Print C, MPRL S, MPRL S, MPRL S, MPRL S, & MPRL S, & MPRL MS, M	rint cartridges number	4 (1 each black, cvan, magenta, vell	ow)				
inter en rativare features inter e version. A plas profession, por en autoritation watermarks, store print jobs, easy-access USB decision of saming inter to plas por mit gene pays, per viset D. 4, 4, 6, 140, containo, watermarks, store print jobs, easy-access USB decision of an apper of Bornal Depts exiter to bin 159 gene Bosh, up to 159 gene 160, up to 150 gene 1	tandard print languages						
dors serving         Yes           comspond         Morrel Letter: Up 10 10 grum (30 jum (56x), up 10 30 jum (56x), up 10 100 jum (56x), up 10 100 jum (56x)           comspond         Hards, 247, 14 Aam Samer, Com (50 strat, 50 strat,					iobs_easy-access_LISB		
Sequent         Normal Letter: Up to graph (B) pm bloku, up to 90 pm/(B) pm bloku, up to 90 pm/(B) pm bloku, pot 90 pm/(B) pm/(B) pm bloku, pot 90 pm/(B) pm bloku, po							
an type / Retrings Factoring Factori	<u> </u>		(1.0.)				
americation     americati	can speed <sup>2</sup>			(color) ; <b>A4:</b> Up to 90 ppm/180 ipm (b&w), up 180 ipm (b&w), up to 180 ipm (color)	to 90 ppm/180 ipm (color)		
an file format port modes port HLCmpression DFS_PEG_DIFF_MIER_VS_LOPIA provide applications Copy, Face, Scan to Enable Scan to USB. Scan to Lab Storage: Open Extendibility Platform (DVR), HP Workpath applications an fize routing Vs_single applications Copy, Face, Scan to Enable Scan to USB. Scan to Lab Storage: Open Extendibility Platform (DVR), HP Workpath applications an fize routing Vs_single applications Copy, Face, Scan to Enable Scan to USB. Scan to JD Storage: Open Extendibility Platform (DVR), HP Workpath applications wain version Vs_single applications Copy, Face, Scan to Enable Scan to USB diverses on to USB applications and the phylor Scandard 200 steets patients and the phylor Scandard 200 steets patients and the phylor Scandard 200 steets and the phylor Scandard 200 steet 200 steets and the phylor Scandard 200 steets and the phylor Scandard 200 steets and the phylor	can type / Technology	Flatbed, ADF / Platen Scanner CCD (	Digital-CIS				
can instrumodes         front parel applications: Copy, Fac, San 16 Umel: Scan to Methods Fidder: San 10 USB. Son 10 U	can resolution	Hardware: Up to 600 x 600 dpi; Opt	i <b>cal:</b> Up to 600 x 600 dpi				
amings         First parel applications Copy, Fac Sant to Irable Sant to Methods Fidder, Sant to USB. Sant to Methods Fidder, Sant to USB. Sant to Methods Fidder, Sant to USB. Sant to Methods Fidder, Sant Tain           autor ADF saming         Yes, Single pass Addres, aming           array and wersion         Wes, Single pass Addres, aming           Bit address         Sandard, 200 Heets           animum control         Wes Single pass Addres, aming           Bit address         Sandard, 200 Heets           animum control         Wes Single pass Addres, aming           Sandard, 200 Heets         Sant to Events, and to Single pass, and to Events, and to Single pass, and the Single pass, an	can file format	PDF, Hi-Compression PDF, JPFG, TI	FF, MTIFF, XPS, PDF/A				
Can Size         ADF Maximum: 292: 664 mm 11.7:x 34 in ADF Minimum: 66 x 127 mm; 2.7 x 5 in Flatbed: 297:x 432 mm; 11.69 x 17 in           uplex ADF scanning         Ves, and p tess duplex somming         Ves, and p tess duplex somming           Version 2.4         Version 2.4         Version 2.4           topth / Gragadity         San to Enrul: scan to network folder: scan to USB drive: scan to USB drive: scan to SharePoint; scan to FTP, scan to GLM face, scan to Internet Face load address book; SMTP over SSL: advortationally detect download; or the drive scan to SharePoint; scan to FTP, scan to GLM face, scan to Internet Face load address book; SMTP over SSL: advortationally at advertation scan mode book, 2: advortationally at advertation scan transmice book; 2: advortationally at advertation scan transmice book, 2: advortationally at advertation scan transmice book, 2: advortationally at advertation scan transmice book; 2: advortational scan transmice book; 2: advortational provider advortational scan transmice book; 2: advortational sc				Folder: Scan to USB: Scan to Job Storage: 0	nen Extensibility Platform (OXD) UD I	Norknath applications	
Value ADF scanning         Ves. single pase dudies samming           DF capabity         Standist 2, 200 sheets           Value ADF scanning         Vest on 2, 4           Value ADF scanning         Vest on 2, 4           Value ADF scanning         Standist 2, 200 sheets           Value ADF scanning         Standist Code           Value ADF scanning         Standist Code           Value ADF scanning         Standist Code           Value ADF scanning         Vest on 2, 4           Value ADF scannis 3, 5						NOI KPath applications	
DF ragacity       Standard 200 sheets         availvaried300       Version 2.4         it opph/Grayscale levels       24-bit/256         Scan to Enrail; scan to network folder; scan to USB drive; scan to Standbritt, scan to FP, scan to LM, fact scan to Internet Fac; local address book, SMTP our SSL; percentations         opy speed       Letter Back       Up to 30 grant         Letter Back       Up to 30 grant         AH Back       Up to 30 grant       Up to 30 grant         AH Back       Up to 30 grant       Up to 30 grant         AH Back       Up to 40 grant       Up to 30 grant with BFRIAMO       Up to 70 grant with BFRIAMO         AH Back       Up to 40 grant       Up to 30 grant with BFRIAMO       Up to 70 grant with BFRIAMO       Up to 70 grant with BFRIAMO         Letter Back Cuplex       Up to 40 grant       Up to 30 grant with BFRIAMO       Up to 70 grant with BFRIAMO       Up to 70 grant with BFRIAMO         Letter Back Cuplex       Up to 40 grant       Up to 30 grant with BFRIAMO       Up to 70 grant with BFRIAMO       Up to 70 grant with BFRIAMO         Letter Back Cuplex       Up to 40 grant       Up to 50 grant with BFRIAMO       Up to 70 grant with BFRIAMO       Up to 70 grant with BFRIAMO         AH Back Cuplex       Up to 70 grant with BFRIAMO       Up to 70 grant with BFRIAMO       Up to 70 grant with BFRIAMO       Up to 70 grant with BFRIAM			x 34 in ADF Minimum: 68 x 127 m	nm; 2.7 x 5 in <b>Flatbed:</b> 297 x 432 mm; 11.69	x 17 In		
wain version         Version 2.4           t depth / Grayscale levels         24-bit/256           Start to Empl. Start of Empl. scan to network folder: scan to USB drive; scan to SherePoint; scan to FTP, scan to SHTP, scan to LAN fac; scan to Internet Fac; local address book; SMTP ever SL; start to Back Dupper scale to Present scan to SHTP, scan to FTP, scan to LAN fac; scan to Internet Fac; local address book; SMTP ever SL; start to Back Dupper scale to Present scan to SHTP, scan to SHTP, scan to SHTP, scan to LAN fac; scan to Internet Fac; local address book; SMTP ever SL; start to Back Dupper scale to Present scan to SHTP, scan to LAN fac; scan to Internet Fac; local address book; SMTP ever SL; start to Back Dupper scale to Present scan to SHTP, scan to SHTP, scan to SHTP, scan to LAN fac; scan to Internet Fac; local address book; SMTP ever SL; start to Back Dupper scale to Present scan to Present scan to SHTP, scan to SHTP, scan to SHTP, scan to LAN fac; scan to ILAN fac; scan to SHTP, scan to SHTP, scan to ILAN fac; scan to ILAN	· ·						
it depth / Graycale levels 24-51/256 San to entwork folder: scan to UEB drive: scan to UEB drive: scan to Standburt; scan to FTP, scan to sFTP, scan to LAN fac, scan to Internet Fac, local address bouk; CMTP our SSL (signal and scan to internet address bouk; CMTP our SSL built; singer address bouk; SMTP our SSL built; sing	DF capacity	Standard, 200 sheets					
ignal serving         Sam to Ernal; sam to network folder; sam to USB where sam to Sive definition of TP, sam to LAT, has sam to Internet fax: local address body; SMTP over SSL; address addr	wain version	Version 2.4					
ignal serving         Sam to Ernal; sam to network folder; sam to USB where sam to Sive definition of TP, sam to LAT, has sam to Internet fax: local address body; SMTP over SSL; address addr	it depth / Gravscale levels	24-hit/256					
atures automatically detect. <i>Color/monotrome</i> : high compression PDF: image adjustments (Sakinkess, contrast, background dearup, sharpness), optimize text/picture (Eest, mixed, printed print			er: scan to LISB drive: scan to Sha	reDoint: scan to ETD: scan to sETD: scan to I	AN fax: scan to Internet Fax: local ad	drass book: SMTD over SSI :	
And the start of the second		automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed pi					
And the start of the second	onv sneed	Letter Black	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
Af Back     Up to 400 cm     Up to 50 cm     Up to 70 cm     Up to 7	opy spece					Up to 70 cpm (with 8EP62AAE)	
Af Color     Up to 40 cpm     Up to 50 cpm (with BEPGAME)     Up to 50 cpm (with BEPGAME)     Up to 70 cpm (with BEPGAME)       Letter Golr Duplex     Up to 40 cpm     Up to 50 cpm (with BEPGAME)     Up to 60 cpm (with BEPGAME)     Up to 70 cpm (with BEPCAME)       At Back Duplex     Up to 40 cpm     Up to 50 cpm (with BEPGAME)     Up to 60 cpm (with BEPGAME)     Up to 70 cpm (with BEPCAME)       At Back Duplex     Up to 40 cpm     Up to 50 cpm (with BEPGAME)     Up to 60 cpm (with BEPGAME)     Up to 70 cpm (with BEPCAME)       At Galor Duplex     Up to 40 cpm     Up to 50 cpm (with BEPGAME)     Up to 50 cpm (with BEPGAME)     Up to 70 cpm (with BEPCAME)       At Galor Duplex     Up to 70 cpm (with BEPGAME)     Up to 50 cpm (with BEPGAME)     Up to 70 cpm (with BEPCAME)       At Galor Duplex     Up to 70 cpm (with BEPGAME)     Up to 50 cpm (with BEPGAME)     Up to 70 cpm (with BEPCAME)       At Galor Duplex     Up to 70 cpm (with BEPGAME)     Up to 50 cpm (with BEPGAME)     As faat as 3.5 sec (with BEPGAME)       At faat as Cp sec     As faat as 4.5 sec (with BEPGAME)     As faat as 3.5 sec (with BEPGAME)     As faat as 3.5 sec (with BEPGAME)       At faat as Cp sec (with BEPGAME)     Up to 500 cpm (with BEPGAME)     As faat as 3.5 sec (with BEPGAME)     As faat as 3.5 sec (with BEPGAME)       At sec (with BEPGAME)     Back Cast and graphick; Up to 600 x 600 dp1 (Color Ret and graphick; Up to 600 x 600 dp1     As faat as 4.5 sec (with BEPGAME)		A4 Black				Up to 70cpm (with 8EP62AAE)	
Letter Back Duplex     Up to 40 cpm     Up to 50 cpm (with BEPGANE)     Up to 70 cpm (with BEPGANE)       Here Gor Duplex     Up to 40 cpm     Up to 50 cpm (with BEPGANE)     Up to 60 cpm (with BEPGANE)       AH Back Duplex     Up to 40 cpm     Up to 50 cpm (with BEPGANE)     Up to 60 cpm (with BEPGANE)       AH Back Duplex     Up to 40 cpm     Up to 50 cpm (with BEPGANE)     Up to 60 cpm (with BEPGANE)       First copy out Letter Black     As fast as 4.9 sec     As fast as 4.2 sec (with BEPGANE)     Up to 70 cpm (with BEPGANE)       First copy out Letter Black     As fast as 6.9 sec     As fast as 4.2 sec (with BEPGANE)     Up to 70 cpm (with BEPGANE)       First copy out Letter Cloor     As fast as 6.9 sec     As fast as 5.5 sec (with BEPGANE)     As fast as 4.3 sec (with BEPGANE)       First copy out Letter Cloor     As fast as 6.5 sec     As fast as 5.5 sec (with BEPGANE)     As fast as 4.9 sec (with BEPGANE)       As fast as 5.5 sec     As fast as 5.5 sec (with BEPGANE)     As fast as 4.9 sec (with BEPGANE)     As fast as 4.9 sec (with BEPGANE)       piper restrings     Up to 9399 copies     Up to 9399 copies     Sec (with BEPGANE)     As fast as 4.9 sec (with BEPGANE)       piper restrings     Two-cided coping: automatically detect clor/monochrome; reduce/enlarge; image adjustments (darkness; contrast, background deanup, sharpness); optimize text/picture (text, not partically detect clor/monochrome; reduce/enlarge; image adjustments (darkness; contrast, background deanup, sharpness); optima							
Letter Clor Duplex         Up to 40 grm         Up to 50 grm (with BEPGAARE)         Up to 60 grm (with BEPGARE)         Up to 70 grm (with BEPGARE)           AF Color Duplex         Up to 40 grm         Up to 50 grm (with BEPGARE)         Up to 70 grm (with BEPGARE)         Vert result BEPGARE)         Vert result BEPGARE         As fast as 49 sec (with BEPGARE)         As fast as 43		Letter Black Duplex					
Af Color Duplex         Up to 40 cpm         Up to 50 cpm (with BEP60ARE)         Up to 70 cpm (with BEP60ARE)           First copy out Letter Back         As fast as 4.9 sec.         As fast as 4.2 sec (with BEP60ARE)         As fast as 4.3 sec (with BEP60ARE)         As fast as 4.9 sec (with BEP60ARE)         As fast as 4.3 sec (with BEP60ARE)         As fast as 4.9 sec (with BEP60ARE)         As fast as 4.9 sec (with BEP60ARE)         As fast as 4.3 sec (with BEP60ARE)		Letter Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
First Copy out Letter Back       As fast as 4.9 sec.       As fast as 4.2 sec (with 8EPGAME)       As fast as 3.3 sec (with 8EPGAME)       As fast as 3.4 sec (with 8EPGAME)       As fast as 3.4 sec (with 8EPGAME)       As fast as 3.5 sec (with 8EPGAME)       As fast as 4.9 sec (with 8EPGAME)       As fast as 4.9 sec (with 8EPGAME)       As fast as 3.5 sec (with 8EPGAME)       As fast as 4.9 sec (with 8E		A4 Black Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
First copy out Letter Color       Act fast as 6.5 sec       Act fast as 5.6 sec (with BEPG0ARE)       Act as as 4.9 sec (with BEPG0ARE)       Act as as 4.9 sec (with BEPG0ARE)       Act as as 3.8 sec (with BEPG1ARE)       Act as as 3.8 sec (with BEPG1ARE)       Act as as 3.8 sec (with BEPG1ARE)       Act as as as as as as as		A4 Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
First copy out At Black       As fast as 4.9 sec.       As fast as 4.2 sec (with BEP60AAE)       As fast as 3.3 sec (with BEP62AE)         opy resolution       Back (text and graphics); Up to 600 x 600 dpi; Color (text and graphics): Up to 600 x 600 dpi       As fast as 4.9 sec (with BEP60AAE)       As fast as 4.9 sec (with BEP61AAE)       As fast as 4.3 sec (with BEP62AE)         ataimum number of copies       Up to 9999 copies       Two-sided copying: automatically detect color/monodrrome; reduce/enlarge; image adjustments (darkness; contrast, background cleanup, sharpness); optimize text/picture (text, mix printed picture, photograph); N-Up; Nor Z-ordering; content orientation; collate; booklet; scan mode book, 2-sided ID); watermark; stamps image overlay; erase edges job build; im preview; image shift; page reduction, bank page suppression; automatically straighter, scan to job storage         ax speed       Up to 33.6 kbps / Letter; 3 sec per page         ax resolution       Back (best): Up to 300 api (400 x 400 dpi for received faxes only); Back (standard); 203 x 98 dpi         ax Features       Fax memory: Up to 500 apes Auto Fax eoling; puported: Yes fax telephone mode supported: No Fax forwardin supported; Yes fax telephone mode supported; No Junk barrier supported; No Fax forwarding apperted; No Fax folling unmbers (leadh with 210 destinations) PC interface supported; Yes Remote retrieval capability supported; No Junk barrier supported; No Fax forwarding supported; Yes fax delayed sending; No Junk barrier supported; No Fax forwarding supported; Yes Remote retrieval capability supported; No Junk barrier supported; No Fax forwarding unmbers (leadh with 210 destinations) PC interface supported; Yes Remote retrieval capability supported; No						As fast as 3.5 sec (with 8EP62A	
First copy out A4 Coor       As fast as 6.5 sec       As fast as 5.6 sec (with 8EP60AAE)       As fast as 4.9 sec (with 8EP60AE)       As fast as 4.9 sec (with 8EP61AE)       As fast as 4.9 sec (with 8EP							
opy resolution         Black (text and graphics): Up to 600 x 600 dpi ; Color (text and graphics): Up to 600 x 600 dpi           taximum number of copies         Up to 9999 copies           opier resize         25 to 400%           oppier settings         Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background deanup, sharpness); optimize text/picture (text, mix printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided 10); watermark; stamps, image overlay; erase edges; job build; im preview; image shift; paper selection; blank page suppression; automatically straighters; sant to job storage           ax speed         Up to 330. kbps / Letter: 3 sec per page           ax resolution         Black (best): Up to 300 x 300 dpi (400 x 400 dpi for receive) faxes only); Black (standard): 203 x 98 dpi           ax resolution         Fax memory: Up to 500 pages. Auto faxe reduction supported: Yes / Subtor receive only) Fax telephone mode supported: No Fax forwardin supported: No Fax polling supported: No Fax polling supported: No Fax polling supported: No Fax polling supported: No Fax supported: No Fax supported: No Fax supported: No Fax forwardin supported: No Fax polling supported: No Fax polling supported: No Fax supported: No Fax forwardin supported: No Fax polling supported: No Fax poling supported: No							
aximum number of copies         Up to 9999 copies           opier resize         25 to 400%           opier resize         25 to 400%           opier settings         Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background deanup, sharpness); optimize text/picture (text, mix preview; image shift; paper selection; blank page suppression; automatically straighter; scan to job storage           ax speed         Up to 330 kbps / Letter: 3 sec per page           ax resolution         Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 99 dpi           ax Features         Fax memory: Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwardit supported: Yes fax phone The Minetrface supported: Yes polling supported: Yes Muto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwardit supported: Yes fax phone The Minetrface supported: Yes polling supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Fax forwardit supported: Yes fax phone Tambor text, 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (device)					As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62A	
pier resize       25 to 400%         pier resize       25 to 400%         pier settings       Two-sided copying: automatically detect color/monodrrome; reduce/enlarge; image adjustments (darkness, contrast, background deanup, sharpness); optimize text/picture (text, mix preview; image shift; paper selection; blank page suppression; automatically straighter; scan to job storage         ax speed       Up to: 33.6 kbps/ Letter: 3 sec per page         ax resolution       Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi as refeatures         ax Features       Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported. Yes Maximum spe dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported. Yes Remote retrieval capability supported: No Tak forwardin supported: No Tak forware supported: No Tak forwardin supported: No Tak forwa	opy resolution	Black (text and graphics): ; Up to 60	0 × 600 dpi ; Color (text and grap	<b>hics):</b> Up to 600 × 600 dpi			
Two-sided copying: automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background deanup, sharpness); optimize text/picture (text; mix printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; im preview; image shift; bage selection; blank page suppression; automatically straighten; scan to job storage         ax speed       Up to: 33.6 kbps / Letter: 3 sec per page         ax resolution       Back (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi         ax Features       Fax memory: Up to 500 pages. Up to 500 pages Auto fax reduction supported; Yes fax dhone TMM interface supported; No Fax polling supported; Yes fax dhone TMM interface supported; No Fax polling supported; Yes fax dhone TMM interface supported; Yes (Poll to receive only) Fax telephone mode supported; No Takephone handset supported; No Fax forwarding numbers (Up to 1000 numbers (each with 210 destinations) PC interface supported; Yes Remote retrieval capability supported; No Takephone handset supported; No Takephone handset supported; No Takephone for the supported; No Take	aximum number of copies	Up to 9999 copies					
printed picturé, fnötograph), N-Úp; N or Z-ordering; content ion; collate; book(et; scan mode (book, 2-sided ID); wätermark; stamps; image overlay; erase edges; job build; im preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage         ax speed       Up to: 33.6 kbps / Letter: 3 sec per page         ax resolution       Black (best): Up to 500 pages; Qut of S00 pages, Auto fax reduction supported: Ves Auto-redialing; Ves Fax Aelayed sending: No Distinctive ring detection supported: No Fax forwardii supported: Ves fax phone fAM interface supported: No Fax polling supported: Ves (poll to receive only) Fax telephone mode supported: No Teax polling supported: Ves Rephone mode supported: No Teax polling supported: Ves fax phone fAM interface supported: No Fax forwardii con only) Fax telephone mode supported: No Teax polling supported: Ves Rephone mode supported: No Teax forwardii factore dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Ves Rephone mode supported: No Teax polling supported: No         tandard connectivity       1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 Su	opier resize	25 to 400%					
ax speed       Up to: 33.6 kbps / Letter: 3 sec per page         ax resolution       Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi         ax resolution       Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi         ax Features       Fax memory: Up to 500 pages Up to 500 pages Auto fax reduction supported: Ves Fax telephone mode supported: No Junk barrier supported: Ves Fax helphone fax interface supported: No Fax polling supported: Yes Fax telephone mode supported: No Telephone handset supported: No Tax forwardi         tandard connectivity       1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0	opier settings	Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixe printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; ima					
ax resolution       Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi         ax Features       Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwardi supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes Maximum spe dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Pax telephone mode supported: No Telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone mode supported: No Telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone mode supported: No Telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone mode supported: No Telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone mode supported: No Telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone mode supported: No Telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone Homes (seach with 210 destinations) PC interface supported: Yes Pax telephone Homes (Seach With 210 destinations) PC interface supported: Yes Pax telephone Homes (Seach With 210 destinations) PC interface supported: Yes Pax telephone Homes (Seach With 210 destinations) PC interface supported: Yes Pax telephone Homes (Seach With 210 destinations) PC interface supported: Yes Pax telephone Homes (Seach With 21				natically straighten, scan to job storage			
Fax memory: Up to 500 pages. Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwardi supported: Yes Fax phone TAM interface supported: Yes Fax phone TAM interface supported: Yes fool to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum spe dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No         tandard connectivity       1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0							
dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No         tandard connectivity       1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed U	ax resolution						
tandard connectivity       1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host);	and Frankrussen	Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwai supported: Yes Fax below a supported of the support of the supp					
Interviework capabilities       Standard (built-in GIGABIT 10/100/1000T Ethernet)         Vireless capability       Optional, enabled with purchase of a hardware accessory         Iobile printing capability       Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print         Iemory       Standard(6GB; Maximum:6GB         torage       Quad Core (1.6GHz), Dual Core (1.4GHz)         Iard disk       Standard, HP Laser Jet 500GB Hard disk drive         Iard disk       Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Eras Disk)         uty cycle (monthly)       Letter:       Up to 180,000 pages       Up to 200,000 pages (with 8EP60AAE)       Up to 250,000 pages (with 8EP61AAE)       Up to 300,000 pages (with 8EP60AAE)         Ad:       Up to 180,000 pages       Up to 180,000 pages (with 8EP60AAE)       Up to 250,000 pages (with 8EP61AAE)       Up to 300,000 pages (with 8EP62AAE)	ax reatures						
Inteless capability       Optional, enabled with purchase of a hardware accessory         oblie printing capability       Apple AirPrint™: Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print         remory       Standard:6GB; Maximum:6GB         rocessor speed       Quad Core (1.6GHz), Dual Core (1.4GHz)         torage       Standard, embedded 500 GB hard disk drive         ard disk       Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk)         uty cyde (monthly)       Letter:       Up to 180,000 pages       Up to 200,000 pages (with 8EP61AAE)       Up to 330,000 pages (with 8EP62AAE)       Up to 330,000 pages (with 8EP62AAE)       Up to 330,000 pages (with 8EP62AAE)         At:       Up to 180,000 pages       Up to 180,000 pages       Up to 200,000 pages (with 8EP61AAE)       Up to 330,000 pages (with 8EP62AAE)       Up to 330,000 pages (with 8EP62AAE)			otwork: 1 Hardware Integration (		CB 2 0 (boct): 1 SuperSpeed LICE 2 0 (d	louico): 1 SuperSpeed LICD 2 0 /6	
oble printing capability       Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print         emory       Standard:6GB; Maximum:6GB         rocessor speed       Quad Core (1.6GHz), Dual Core (1.4GHz)         corage       Standard, embedded 500 GB hard disk drive         ard disk       Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk)         uty cyde (monthly)       Letter:       Up to 180,000 pages       Up to 200,000 pages (with 8EP61AAE)       Up to 250,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8EP62AAE)         A4:       Up to 180,000 pages       Up to 180,000 pages       Up to 200,000 pages (with 8EP61AAE)       Up to 300,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8EP62AAE)	andard connectivity	1 Gigabit Ethernet 10/100/1000T ne			SB 2.0 (host); 1 SuperSpeed USB 3.0 (d	levice); 1 SuperSpeed USB 3.0 (ho	
Standard:6GB; Maximum:6GB         occessor speed       Quad Core (1.6GHz), Dual Core (1.4GHz)         orage       Standard: 6GB; Maximum:6GB         ard disk       Standard: embedded 500 GB hard disk drive         ard disk       Standard, embedded 500 GB hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk)         uty cycle (monthly)       Letter:       Up to 180,000 pages       Up to 200,000 pages (with 8EP61AAE)       Up to 250,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8EP62AAE)         A4:       Up to 180,000 pages       Up to 180,000 pages       Up to 200,000 pages (with 8EP61AAE)       Up to 230,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8EP62AAE)	andard connectivity etwork capabilities	1 Gigabit Ethernet 10/100/1000T ne Standard (built-in GIGABIT 10/100/1	1000T Ethernet)		SB 2.0 (host); 1 SuperSpeed USB 3.0 (d	levice); 1 SuperSpeed USB 3.0 (ho	
Standard:6GB; Maximum:6GB         ocessor speed       Quad Core (1.6GHz), Dual Core (1.4GHz)         orage       Standard; embedded 500 GB hard disk drive         ard disk       Standard, embedded 500 GB hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk)         uty cycle (monthly)       Letter:       Up to 180,000 pages       Up to 200,000 pages (with 8EP60AAE)       Up to 250,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8EP62AAE)         At:       Up to 180,000 pages       Up to 180,000 pages       Up to 200,000 pages (with 8EP61AAE)       Up to 230,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8EP62AAE)	andard connectivity etwork capabilities ireless capability	1 Gigabit Ethernet 10/100/1000T ne Standard (built-in GIGABIT 10/100/1	1000T Ethernet)		SB 2.0 (host); 1 SuperSpeed USB 3.0 (d	levice); 1 SuperSpeed USB 3.0 (ho	
Operation       Quad Core (1.6GHz), Dual Core (1.4GHz)         orage       Standard, embedded 500 GB hard disk drive         ord disk       Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk)         uty cycle (monthly)       Letter:       Up to 180,000 pages       Up to 200,000 pages (with 8EP60AAE)       Up to 250,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8EP62AAE)         disk       Up to 180,000 pages       Up to 180,000 pages       Up to 200,000 pages (with 8EP61AAE)       Up to 300,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8EP62AAE)	andard connectivity etwork capabilities reless capability	1 Gigabit Ethernet 10/100/1000T ne Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of	1000T Ethernet) a hardware accessory	Pocket 2nd generation (HIP2); 1 Hi-Speed U	SB 2.0 (host); 1 SuperSpeed USB 3.0 (d	levice); 1 SuperSpeed USB 3.0 (ho	
orage       Standard, embedded 500 GB hard disk drive         ard disk       Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk)         uty cycle (monthly)       Letter:       Up to 180,000 pages       Up to 200,000 pages (with 8EP60AAE)       Up to 250,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8EP62AAE)         At:       Up to 180,000 pages       Up to 180,000 pages       Up to 200,000 pages (with 8EP61AAE)       Up to 250,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8EP62AAE)	andard connectivity etwork capabilities ireless capability obile printing capability	1 Gigabit Ethernet 10/100/1000T ne Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified;	1000T Ethernet) a hardware accessory	Pocket 2nd generation (HIP2); 1 Hi-Speed U	SB 2.0 (host); 1 SuperSpeed USB 3.0 (d	levice); 1 SuperSpeed USB 3.0 (hc	
Ard disk       Standard, HP Laser Jet 500GB Hard Disk: Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk)         Letter:       Up to 180,000 pages       Up to 200,000 pages (with 8EP60AAE)       Up to 250,000 pages (with 8EP62AAE)       Up to 300,000 pages (with 8E	andard connectivity etwork capabilities ireless capability obile printing capability emory	1 Gigabit Ethernet 10/100/1000T nc Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified; Standard:6GB; Maximum:6GB	1000T Ethernet) a hardware accessory Wi-Fi® Direct Printing; NFC Touch	Pocket 2nd generation (HIP2); 1 Hi-Speed U	S8 2.0 (host); 1 SuperSpeed US8 3.0 (d	levice); 1 SuperSpeed USB 3.0 (hc	
Disk)     Up to 180,000 pages     Up to 180,000 pages     Up to 200,000 pages (with 8EP61AAE)     Up to 250,000 pages (with 8EP62AAE)     Up to 300,000 pages (with 8EP62AAE)       A4:     Up to 180,000 pages     Up to 180,000 pages     Up to 200,000 pages (with 8EP61AAE)     Up to 250,000 pages (with 8EP62AAE)     Up to 300,000 pages (with 8EP62AAE)	andard connectivity etwork capabilities freless capability obile printing capability emory rocessor speed	1 Gigabit Ethernet 10/100/1000T nd Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified; Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.4G	1000T Ethernet) a hardware accessory Wi-Fi® Direct Printing; NFC Touch GHz)	Pocket 2nd generation (HIP2); 1 Hi-Speed U	SB 2.0 (host); 1 SuperSpeed USB 3.0 (d	levice); 1 SuperSpeed USB 3.0 (hc	
A4:         Up to 180,000 pages         Up to 180,000 pages         Up to 200,000 pages (with 8EP60AAE)         Up to 250,000 pages (with 8EP60AAE)         Up to 300,000 pages (with 8EP60AAE)         Up to 300,000 pages (with 8EP60AAE)	tandard connectivity etwork capabilities Areless capability lobile printing capability lemory rocessor speed torage	1 Gigabit Ethernet 10/100/1000T nd Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified; Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.4C Standard, embedded 500 GB hard di	1000T Ethernet) a hardware accessory Wi-Fi® Direct Printing; NFC Touch GHz) isk drive	Pocket 2nd generation (HIP2); 1 Hi-Speed U n-to-print (optional); PrinterOn Print			
A4:         Up to 180,000 pages         Up to 200,000 pages (with 8EP60AAE)         Up to 250,000 pages (with 8EP61AAE)         Up to 300,000 pages (with 8EP62AAE)	tandard connectivity letwork capabilities Vireless capability fobile printing capability femory frocessor speed torage	1 Gigabit Ethernet 10/100/1000T nd Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified; Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.4C Standard, embedded 500 GB hard di Standard, HP LaserJet 500GB Hard 1	1000T Ethernet) a hardware accessory Wi-Fi® Direct Printing; NFC Touch GHz) isk drive	Pocket 2nd generation (HIP2); 1 Hi-Speed U n-to-print (optional); PrinterOn Print			
	tandard connectivity letwork capabilities Wireless capability fobile printing capability femory rocessor speed torage lard disk	1 Gigabit Ethernet 10/100/1000T nd Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified; Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.4C Standard, embedded 500 GB hard di Standard, HP LaserJet 500GB Hard I Disk)	1000T Ethernet) a hardware accessory Wi-Fi® Direct Printing; NFC Touch GHz) isk drive Disk Drive; AES 256 hardware en	Pocket 2nd generation (HIP2); 1 Hi-Speed U n-to-print (optional); PrinterOn Print cryption; Secure erase capabilities (Secure I Up to 200,000 pages (with	File Erase-Temporary Job Files, Secure	Erase-Job Data, Secure ATA Eras	
	tandard connectivity letwork capabilities wireless capability tobile printing capability lemory rocessor speed torage ard disk	1 Gigabit Ethernet 10/100/1000T nd Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified; Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.4G Standard, embedded 500 GB hard di Standard, HP Laser Jet 500GB Hard I Disk) Letter:	1000T Ethernet) a hardware accessory Wi-Fi® Direct Printing; NFC Touch GHz) isk drive Disk Drive; AES 256 hardware en Up to 180,000 pages	Pocket 2nd generation (HIP2); 1 Hi-Speed U n-to-print (optional); PrinterOn Print cryption; Secure erase capabilities (Secure I Up to 200,000 pages (with 8EP60AAE) Up to 200,000 pages (with	File Erase-Temporary Job Files, Secure Up to 250,000 pages (with 8EP61AAE) Up to 250,000 pages (with	Erase-Job Data, Secure ATA Eras Up to 300,000 pages (with 8EP62AAE) Up to 300,000 pages (with	

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvgGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Imperial: Tray 1, 2, 3: 16 to 86.5 lb bond; Metric: Tray 1, 2, 3: 60 to 325 g/m <sup>2</sup>
Media sizes supported	Imperial Tray 1: Letter, Letter R, Legal, Executive, Statement, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Statement, 4 x 6, 5 x 7, 5 x 8, envelope #9, Envelope #9, Envelope #10, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, 01 x 17, 12 x 18, 8k, 16k Metric Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, RA4, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, A5R, A6, RA4, RA4, A5, RA5, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Dficio, 8K, 16k, Envelope B5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, A5, RA5, RA6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Dficio, 8K, 16k, Envelope B5, Envelope C6,
Media Sizes Custom	Imperial Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in Metric Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
What's in the box	50K03A In box materials ; Guide install, Flyer Regulatory, Power Cords, Label, Drums.
Replacement cartridges <sup>1</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 25,000) W9160MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 22,500) W9161MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 22,500) W9162MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 22,500) W9163MC, HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	<b>W x d x h:</b> 23 x 27.4 x 35.7 in; 585 x 694.7 x 907.7 mm <b>Maximum:</b> 65.2 x 50 x 58.6 in; 1656.7 x 1269 x 1488.5 mm
Product weight	220.1 lb; 99.8 kg
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPV3, HTTPS, Certificates; Data: Storage Encryption, Encrypted DP & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client 0S; Android; i0S; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Compatible network operating systems	Windows Server; Linux; Citrix; Novell
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available
requirements	hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off).
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan); 54dB(A), ADF scan A4 at 150pm
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

#### Messaging Footnotes

Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber

<sup>3</sup> resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims <sup>3</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit hp.com/wolfsecurity

<sup>5</sup> HP Web Jetadmin is free and available for download at hp. com/go/webjetadmin <sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application,

<sup>1</sup> diver, and document complexity. <sup>2</sup> Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. <sup>8</sup> To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

<sup>8</sup> 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers. 9 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic. <sup>10</sup> HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See

http://www.epeat.net for registration status by country. <sup>11</sup> HP printer, HP paper and Original HP supply – Blue Angel DE-UZ 219 Emissions Criteria.

#### **Technical Specifications Footnotes**

<sup>1</sup> Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies. <sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application,

driver, and document complexity. <sup>4</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>5</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
<sup>6</sup> For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)

<sup>7</sup> Methodology of RMPV calculation for the new generation HP LaserJet Managed MFP E800/E700 series are based on 60 months to meet typical WW MPS contract period. RMPV may vary higher or lower depending on the contract term. The new HP LaserJet Managed MFP E800/E700 series maintains or improves engine life.





#### To learn more, visit hp.com

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only waranties for HP products and services are set forth in the such products and services. Nothing herein should be construed as constituting an additional waranty. HP shall not be liable for technical or editorial errors or omissions contained herein. warranties for HP products and services are set forth in th nents accompanving February 2023

