HP LaserJet Managed Flow MFP E826z

Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers² you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Experience speed and performance like no other with our fastest ever 300 ipm⁶ duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last.

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate
 paper and digital workflows.⁷
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.

Always on guard with HP Wolf Security.⁴

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified³ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield[™] is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled
 or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁹ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.¹⁰
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹¹

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 297 x 432 mm (11x17 in)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (297 x 457 mm)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (297 x 432 mm) (Flow models only)³
- 15. 25.6 cm (10.1 in) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (297 x 457 mm)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (297 x 457 mm)

Series at a glance

Model	HP Laser Jet Managed Flow MFP E826z				
Product number	5QK13A	5QK13A (Base) + 8EP63AAE (Speed license)	5QK13A (Base) + 8EP64AAE (Speed license)		
Print speed (A4 and letter, Black) ³	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm		
Scan speed (A4 and letter, Black)⁴	150 ppm/300 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	300 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)				
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation				

¹ Solutions deployed through the Hardware Integration Pocket (HP) may require additional purchase. ² An administratormust enable the easy-access USB port before use. ³ The E826 series Flow models include a 300-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). ⁴ Measured using ISO/IEC 24734, excludes First set of test documents. For more information, seehp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, drive; and document complexity. ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow. HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats." We keep trouble out so you can keep your business running.

out so you can keep your business running. Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03HZE - HP 1 year Next Business Day with DMR Service for Laser Jet Managed MFP E826xx U03J0E - HP 3 year Next Business Day with DMR Service for Laser Jet Managed MFP E826xx U04WWE - HP 4 year Next Business Day with DMR Service for Laser Jet Managed MFP E826xx U04WKE - HP 1 year Next Business Day with DMR Service for Laser Jet Managed MFP E826xx U04WKE - HP 1 year Parts Exchange w/DMR Service for Laser Jet Managed MFP E826xx U04N1E - HP 1 year Parts Exchange w/DMR Service for Laser Jet Managed MFP E826xx (Managed Component Only) U04N1E - HP 3 year Parts Exchange w/DMR Service for Laser Jet Managed MFP E826xx (Managed Component Only) U04N3E - HP 3 year Parts Exchange w/DMR Service for Laser Jet Managed MFP E826xx (Managed Component Only) U04N4E - HP 5 year Parts Exchange w/DMR Service for Laser Jet Managed MFP E826xx (Managed Component Only) U04N4E - HP 1 year Post Warranty Next Business Day with DMR Service for Laser Jet Managed MFP E826xx (Managed Component Only) U04N5PE - HP 1 year Post Warranty Next Business Day with DMR Service for Laser Jet Managed MFP E826xx (Managed Component Only) U04N5PE - HP 1 year Post Warranty Next Business Day with DMR Service for Laser Jet Managed MFP E826xx (Managed Component Only) U04NSPE - HP 1 year Post Warranty Next Business Day with DMR Service for Laser Jet Managed MFP E826xx (Managed Component Only) U04NSPE - HP 1 year POst Warranty Next Business Day with DMR Service for Laser Jet Managed MFP E826xx (Managed Component Only) U04NSPE - HP 1 year POst Warranty Next Business Day
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator's Resource Kit





*Available with optional color panel accessories

Accessories	155P7A HP LaserJet InnerFinisher 2/3 Hole Punch
	190A3A HP LaserJet Department Lunar Gray Color Panel
	190A4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
	190A5A HP Laser Jet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190A8A HP Laser Jet Department Stand Lunar Gray Color Panel
	190B3A HP LaserJet Department Comet Red Color Panel
	190B4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	19085A HP Laser Jet Department High Capacity Paper Tray/Stand Comet Red Color Panel
	19088A HP Laser Jet Department Stand Comet Red Color Panel
	190C3A HP Laser Jet Department Cosmic Green Color Panel
	190C4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C5A HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190C8A HP LaserJet Department Stand Cosmic Green Color Panel 190D3A HP LaserJet Department Constellation Yellow Color Panel
	190D3A HP Laser Jet Department Constellation Yellow Color Panel 190D4A HP Laser Jet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	19005A HP Laser Jet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel
	1900BA HP LaserJet Department Stand Constellation Yellow Color Panel
	190F3A HP LaserJet Department Aurora Purple Color Panel
	190F4A HP Laser Jet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F5A HP Laser Jet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel
	190F8A HP Laser Jet Department Stand Aurora Purple Color Panel
	2NR12A HP Removable Hard Drive Enclosure
	2TD64A HP Accessibility Kit
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	478C2A HP Printing Voice Assistant
	4QL32A HP Legic Secure USB Reader
	4XN67A Internal USB Expansion Kit
	SQK14A HP MFP 810 Analog Dual Fax
	6GW47A HP LaserJet 2x520 sheet Department Paper Tray/Stand
	6GW49A HP LaserJet Inner Finisher
	6GW50A HP LaserJet Department Job Separator 6GW51A HP LaserJet Booklet Finisher
	6GW51A HP LaserJet Booklet Finisher 6GW53A HP LaserJet Department Stand
	GWV55A HP LaserJet Stapler/Stacker Finisher
	GGW56A HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand
	GGW57A HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand
	6HN30A HP LaserJet Workflow Accelerator Card
	6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive
	7ZA08A HP MFP 800 Analog Single Fax
	8FP31A HP Jetdirect LAN Accessory
	9EQ11A HP 500GB CCC, FIPS Hard Disk Drive
	B5L31A HP Foreign Interface Harness
	CC543B HP SmartCard NIPRNet Solution for US Government
	F8B30A HP SmartCard SIPRNet Solution for US Government
	X3D03A HP USB Universal Card Reader Y1G10A HP LaserJet Hole Punch 2/3 Accessory
	Y1G10A HP LaserJet Hole Punch 2/3 Accessory Y1G13A HP LaserJet Inner/Booklet Staples
	Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
	Y1022A HP LaserJet Paper Tray Heaters Accessory
	Y7C05A HP HIP2 Keystroke Reader
	Y7C07A HP SIM for HID iClass for HIP2 Reader
Canad Linearen	
Speed Licenses	8EP63AAE HP LaserJet Managed MFP E826 50 to 60ppm License
	8EP64AAE HP LaserJet Managed MFP E826 50 to 70ppm License
	8LB51AAE HP LaserJet Managed MFP E826 60 to 70ppm License
Supplies	5PN53A HP LaserJet Fuser 100V Kit
	SPN66A HP LaserJet Travs 2-x Roller Kit
	SPN76A HP LaserJet Fuser Kit 110V
	SPN77A HP LaserJet 220V Fuser Kit
	5PN82A HP LaserJet Black Developer Unit
	SPN85A HP Lase Jet Image Transfer Kit
	SRC00A HP LaserJet ADF Maintenance Kit
	SRC03A HP LaserJet Flow MP Roller Kit
	J8J95A HP 300 ADF Roller Replacement Kit (Up to 150,000 pagesUp to 150,000 pages)
	W9016MC HP W9016MC Managed LaserJet Toner Collection Unit
	W9084MC HP W9084MC Black Managed Laser Jet Toner Cartridge
	W9085MC HP W9085MC High Yield Black Managed LaserJet Toner Cartridge
	W9086MC HP W9086MC Black Managed LaserJet Imaging Drum
	l

* Inner finisher/inner finisher hole punches are not compatible with 70 ppm ** HP Laser Jet Workflow Accelerator Card, 6HN30A will be available in January 2023.

Data sheet | HP LaserJet Managed Flow MFP E826z Printer series

Inter speed Late Flack Lip to Sogen Lip to Sogen <th>Functions</th> <th>Print, copy, scan, fax (optional)</th> <th></th> <th></th> <th></th>	Functions	Print, copy, scan, fax (optional)				
Here Up to Supprim Up to Supprim <th></th> <th></th> <th>Up to 50ppm</th> <th>Up to 60ppm (with 8EP63AAE)</th> <th>Up to 70ppm (with 8FP64AAF)</th>			Up to 50ppm	Up to 60ppm (with 8EP63AAE)	Up to 70ppm (with 8FP64AAF)	
Price page out Letter Black Als for a 17 2 sec Als for a 6.9 sec (with BEPGAAD)	mint speeu				-b	
Hist page out At Black [A for base 12 - 25.0] A for base 6.9 sec (whith IHE-MAANE [A for base 6.9 sec (whith IHE-MAANE Intrintenduidon Base (best) (best) (120 as 12.00 as 12					As fast as 6.8 sec (with 8EP64AAE)	
Inter advances Exerc Optical: Nermal (600 × 600 4 bit); Bast (1200 × 1200 1 bit) Interdencing 10 (abs) Interdencing Total (abs) Interdencing			As fast as 7.2 sec	As fast as 6.9 sec (with 8EP63AAE)	As fast as 6.8 sec (with 8EP64AAE)	
Initial cartification Topologics Initial carding in surface Topologics Topologics Topologics Topologics Initial carding in surface Topologics Topologics Topologics Topologics Initial carding in surface Topologics	Print resolution	Black (best): Up to 1200 x 1200 dpi full sp	peed; Black (normal): Up to 600 × 60	00 dpi; Black (fine lines): Up to 1200 x 1200 dp	i	
Initial Fampuages IPPCL 56: IPPCL 56	rint technology	Laser; Optical: Normal (600 x 600 4 bit); B	est (1200 x 1200 1 bit)			
tardied privil targuege HP CL Se HP PCL SE H	Print cartridges number	1 (black)				
Printer software statutes Printer preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collistion, watermarks, store print jobs, exey-access USB Color scanning Ves Statutes Normal Latter: Lb to 150 ppm/300 ipm (bbw), up to 150 ppm/300 ipm (color), Ad: Lb to 150 ppm/300 ipm (color) Depice Latter: Lb to 500 dpic Digital-LTS Statutes Distribution Statutes Distribution Distribution Distribution Statutes Distribution Distribution Distribution Distribution Statutes Distribution Distribution Distribution Distribution Statutes Distribution Distribution Distribution Distribution Distribution Statutes Distribution Distribution Distribution Distribution Distribution Distribution Statutes Distribution Distribution Distribution Distribution Distribution Statutes Distribution Distribution Distribution Distribution Distribution Statutes Distribution Distribution <thdistribution< th=""> Distribution <thdistrib< td=""><td>Standard print languages</td><td>HP PCL 5e, HP PCL 6, HP Postscript level 3</td><td>emulation. PDE (v 1.7). AirPrint™ co</td><td>ompatible</td><td></td></thdistrib<></thdistribution<>	Standard print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3	emulation. PDE (v 1.7). AirPrint™ co	ompatible		
esture Gains scanning Vis Cains Speed* Normal Letter: Up to 150 ppm/3001 pm/Color); A4: Up to 150 ppm/3001 pm/Color) Duplex Letter: Up to 300 pm/Color) Speed* Normal Letter: Up to 150 ppm/3001 pm/Color); A4: Up to 100 pm/Sov, up to 300 pm/Color) Speed* Pathod, ADF / Names Scanner CCDD big144: Us Speed Test Speed Speed* Pathod, ADF / Names Scanner CCDD big144: Us Speed Test Speed Speed* Pathod, ADF / Names Speed Test Speed	Printer smart software				cess USB	
Normal Letter to to 150 ppm/200 ipm Calexit, up to 150 ppm/300 ipm Calexit, pt 150 ppm/300 ipm/300 ipm Calexit, pt 150 ppm/300 ipm Calexit, pt 150	eatures					
Diplex Letter: Up to 300 fpm (calib): 300 fpm (calib): 44: Up to 300 fpm (calib): cons type? Technology Restor, 47: PLearo Samer CDD Optit=Clin (Calib): cons resolution Hardware: Up to 500 x 600 dpi: Cpt(calib.Up to 500 x 600 dpi: cons resolution PCH, Hornogeneon PEP (FOR, Hard Compension PEP (CCR), H-L Compression PDF (CCR), PLPA (Color scanning	Yes				
Scan resolution — Hardware (p. to 500 x 600 dpc Opticat (p. 10 x 600 x 600 dpc) Scan Reformat — PPH - Concernession PDF (PG, PF, H-Concernession PDF) (PCR), H-Compression PDF (OCR), PDFA (OCR), H-Compression PDF (ACR), H	Scan speed⁵				150 ppm/300 ipm (color)	
Scan Reformat PPE H-4 compression PDEA (PEG) IEE Compression PDEA (PEG), PPE MTER XPE, PDF (OCR), H-Compression PDEA (OCR), COCR, UCCR, UCCR, UCCR), COCR, UCCR, UCC	Scan type / Technology	Flatbed, ADF / Platen Scanner CCD Digital-	CIS			
CXR, Unicode TEXT (CXR, NET (CXR, NET (CXR, NET) (CXR) Sign input modes Front pand applications: Copy: Pax Scan to Emstilication taktowick Folder: Scan to USB; Scan to Job Storage: Open Extensibility Platform (OXP), HP Workpath applications: Copy: Pax Scan to Emstilication; automatic tone; auto opentation; multi-feed detection; reverse and retry; document editir auto page color revelo; doi separation foldink page, barcodel; watemak; starps Starper Color Power (D) Separation foldink page, barcodel; watemak; starps Version 2 Starper Color Power (D) Separation foldink page, barcodel; watemak; starps Version 2.4 Ver	can resolution	Hardware: Up to 600 × 600 dpi; Optical: Up	to 600 x 600 dpi			
applications Applications applications Applications can be advanced features Embedded OCR optimize tack/picture (auto) scen to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry, document editir auto paper color (innoval) (b) segaration (blank page, barcode); wetermark; stamps DF capacity Standard, 300 sheets wain version Vers; single pass duplex scenning DF capacity Standard, 300 sheets wain version Vers; single pass duplex scenning DF capacity Standard, 300 sheets wain version Version 2.4 Zeta version Scen to e-mail; savet-on-twork folder; savet-o-USB drive; send to SHIP; send to SFTP; send to LANTax; send to Internet Fax local address boo printed picture, photographic), context orientation, sub-page-crop, multi-feed detection; reverse and retry, document editing, auto page suppression, to multi destination, embedded OCR, auto-tone, auto orientation, auto-page-crop, multi-feed detection; reverse and retry, document editing, auto page corp. opy speed Letter Black Up to 50 cpm Up to 50 cpm (with BEPG3AAE) Up to 70 cpm (with BEPG3AAE) opy resolution Black (boo daw Up to 50 cpm Up to 50 cpm (with BEPG3AAE) Up to 70 cpm (with BEPG3AAE) opy resolution Black (boo daw Up to 50 cpm (with BEPG3AAE) Up to 70 cpm (with BEPG3AAE)	can file format	PDF, Hi-Compression PDF, PDF/A, Hi-Comp (OCR), Unicode TEXT (OCR), RTF (OCR), HT	ression PDF/A, JPEG, TIFF, MTIFF, XPS ML (OCR), CSV (OCR)	5, PDF (OCR), Hi-Compression PDF (OCR), PDF/A	(OCR), Hi-Compression PDF/A (OCR), TE	
Scame advanced features Errbedied OCR, optimize text/picture (auto), scan to multi-destination; automatic tone auto orientation; multi-dest detection; reverse and retry, document editir auto parce color errows(i) is separation (blank page, barcode); watermark; stamps DPF capacity Standard, 300 sheets wain version Version 2.4 Standard, 300 sheets Standard, standard, standard	Scan input modes		o Email; Scan to Network Folder; Sc	an to USB; Scan to Job Storage; Open Extensit	oility Platform (OXP), HP Workpath	
auto paper color removal; job sparation (blank page, barcode); watermark; stamps Duplex ADF capacity Standard, 300 sheets Twein version Version 2.4 Bit cepts/ 0 random 2 does 100 servers, compared PDF; image adjustments (darkness, contrast, background clanup, sharpness); polimized text picture (auto, text, mease printed picture, photograph); content orientation; 10 scar, job build; watermark; stamps; book mode scans; erase edges; image preview, blank page suppression; to multi destination, erasting and and desting, auto page-color, multi-feed detection; reverse and retry, document editing, auto page-color removal; bit origin automatically straighten Copy speed Letter Black Upitex Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) Ad Black Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) Ad Black Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) Ad Black Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) Ad Black Ad Fast as 3.9 sec: A fast as 3.9 sec (with 8EP63AAE) Dip to 70 cpm (with 8EP64AAE) Ad Black Loupiex Up to 50 cpm Up to 60 cpm (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE) Ad Black Loupiex Ad Fast as 3.9 sec: A fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE) Ad Black Loupiex Ad Fast as 3.9 sec: A fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE) Ad fast as 3.3 sec (with 8EP64AAE) Copier resize Copier resize Copier resize Copier resize Copier resize Copier settings Two-sided copying; calability, image adjustments (darkness, contrast, background clanup, sharpness); optimized text/picture (Auto, text, mease, edges, automatically straighten; Second copying; calability, image adjustments (darkness, contrast, background clanup, sharpness); optimized text/picture (Auto, text, mease, edges, automatically straighten; Second copying; calability, image adjustments (darkness, contrast, background clanup, sharpness); optimized text/picture (Auto, text, mease edges, auto	Scan Size	ADF Maximum: 305 x 864 mm; 12 x 34 in .	ADF Minimum: 68 x 127 mm; 2.7 x 5	in Flatbed: 297 x 432 mm; 11.69 x 17 in		
VDF capacity Standard, 300 sheet. Variance Varian	Scanner advanced features	Embedded OCR; optimize text/picture (au auto paper color removal; job separation (:o); scan to multi-destination; autor blank page, barcode); watermark; st	matic tone; auto orientation; multi-feed detecti amps	on; reverse and retry; document editing	
Twein version Version 2.4 24 bit depth / Grayscale levels 24-bit/256 24 bit/256 24-bit/256 SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixer provide); content on intration, ill-cristic, ibb build, watermark; starring; book mode scars, erase address; moge previow, blank page suppression; to multi datation, eribedide DCR, auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry, document tedling; auto page rolor in the data start and retry, document tedling; auto page rolor in the data start and retry, document tedling; auto page rolor in the data start and retry, document tedling; auto page rolor in the data start and retry, document tedling; auto page rolor in the data start and retry, document tedling; auto page rolor in the data start and retry, document tedling; auto page rolor in the data start and retry, document tedling; auto page rolor in the data start and retry, document tedling; auto page rolor in the data start and retry, document tedling; auto page rolor in the data start and retry document tedling; auto page rolor in the data start and retry, document tedling; auto page rolor in the data start and retry document tedling; auto page rolor in the data start and retry document tedling; auto page rolor in the data start and retry document tedling; auto page rolor in the data start and retry document tedling; auto page rolor in the data start and retry document tedling; auto page rolor in the data start and and retry document tedling; auto page rolor in the data start and and retry document tedling; auto page rolor in the data start and and retry document tedling; auto page rolor in the data start and and retry document tedling; auto page rolor in the data start and and retry document and re	Juplex ADF scanning	Yes, single pass duplex scanning				
Bit depth / Grayscale levels 24-bit/256 Signal sending standard Scan to e-mail: save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to STP; send to LAN fac; send to Internet Fac, local address boo software set set set diges, image preview, blank page suppression, to mail destination, and-to-macility of uniter to internation, ID Scar, ip bound, waternark, stamp; book mode scars, ease edges, image preview, blank page suppression, to mail destination, and-to-macility of uniter tables, ID Scar, ip bound, waternark, stamp; book mode scars, ease edges, image preview, blank page suppression, to mail destination, and-to-me, auto orientation, auto-page-crop; multi-feed detaction, revees and retry, document etailing, auto-page: color re lob separation; automatically starghter Copy speed Letter Black Up to 50 cpm Up to 60 cpm (with 8EP63ARE) Up to 70 cpm (with 8EP64ARE) Ad Black Duplex Up to 50 cpm Up to 60 cpm (with 8EP63ARE) Up to 70 cpm (with 8EP64ARE) Ad Black Duplex Up to 50 cpm Up to 60 cpm (with 8EP63ARE) Up to 70 cpm (with 8EP64ARE) Ad Black Lopplex Up to 50 cpm Up to 60 cpm (with 8EP63ARE) Ns fast as 3.3 sec (with 8EP64ARE) Ad Black Lopplex Up to 50 cpm Up to 60 cpm (with 8EP63ARE) Ns fast as 3.3 sec (with 8EP64ARE) Ad Black Lopplex Up to 50 cpm Up to 60 cpm (with 8EP63ARE) Ns fast as 3.3 sec (with 8EP64ARE) Ad Black Duplex Up to 50 cpm Up to 60 cpm	ADF capacity	Standard, 300 sheets				
Spiral sameling standard Scan to e-mail: same-to-network folder, same-to-USB drive sand to Sharepoint; sand to IFTP, sand to IATP, same to IAM Ras, samt to Initem Fax. Ional address boo setures Scan to e-mail: same-to-network folder, same-to-USB drive sand to Sharepoint; sand to IFTP, samd to IATP, sampees); pointrade lext/picture (auto, text, main printed picture, photograph); content orientation; ID sam; job build; watermark; stamps; book mode sams; crase edge; image preview, blank page suppression; to multi destination, methodded CCR, sauto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry, document editing; auto pager color is phared in the same standard stan	wain version	Version 2.4				
SMTP over SSL; auto color sense; compact PDP; image adjustments (darkness; contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixe prot separation; autorograph); contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixe pob separation; autorograph); contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixe paper separation; autorograph); contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixe Ad Black Upics Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) Letter Black Upics Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) Ad Black Dupies Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) First copy out Letter Black A sfast as 3.9 sec As fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE) water copy context and graphics); Up to 6000 x 6000 dpl deaimum number of copies Up to 9999 copies copier resize 25 to 400% copier resize 25 to 400% copier resize 25 to 400% copier setting Dubing scalability image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed pictur photograph); Al 20 N or 2 ordering; content orientation; collation; boolder; Ub array (b build; ub torage watermark; starps; book mod scars; erase edge; photograph); Al 20 N or 2 ordering; content orientation; collation; boolder; Ub array (b build; ub trangs; book mod scars; erase edge; boolder copyring scalability image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed pictur photograph); Al 20 N or 2 ordering orientation; collation; boolder; Ub array (b build; ub torage; watermark; starps; book mod scars; erase edges; book	Bit depth / Grayscale levels	24-bit/256				
topy speed Letter Black Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) A4 Black Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) A4 Black Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) A4 Black Duplex Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) A4 Black Duplex Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) Af Black Topy out Ad Black As fast as 3.9 sec As fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP63AAE) Copy resolution Black (text and graphics): Up to 600 x 600 dpi Adammmumber of copies Vp to 9399 copies Copier resize Z5 to 400% Two-sided copying: sclability, image adjustments (darkness, contrast, background cleanup, shapness): optimized text/picture (Auto, text, mixed, printed picture participart); Not Zordiffict, contern orientation; collation, booklet; Up scange watermark; faircery: backmed, printed picture automatically detect color/immorp circeme remove; Job Separation; Automatically Straighter; ax speed Up to 30.0 x300 dpi (400 x 400 dpi for received faxes only); Black (tstadard); 203 x 98 dpi ax resolution Black (best): Up to 30.0 x300 dpi (400 x 400 dpi for received faxes only); Black (standard		SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mix printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; to multi destination, embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto pager color re				
A4 Black Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) A4 Black Duplex Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) A4 Black Duplex Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) AF Black Duplex Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) AF Black Duplex As fast as 3.9 sec As fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE) Copy resolution Black (text and graphics): Up to 600 x 600 dpi 4admum number of copies As fast as 3.3 sec (with 8EP64AAE) Copier resize 25 to 400% Two-sided copying: sclability, image adjustments (clarkness, contrast, background clanup, sharpness): optimized text/picture (Auto, text, mixed, printed picture autoratically detect color/moncrime, regreeview, Image Shite Pager Seletion; collate; Blank Page Suppression; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Color Removal; Job Sou Opti (400 x 400 dpi for received faxes only); Black (tast and ard): 203 x 98 dpi Fax resolution Black (best): Up to 500 pages; Auto faxeeduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: Yes fax denayed userbore text acd capability supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: Yes Auto-redialing: Pumbers; Up to 500 pages; Auto fax reduction supporte	onv sneed		Up to 50 cpm	Lip to 60 cpm (with 8EP63AAE)	Lip to 70 cpm (with 8EP64AAE)	
Letter Black Duplex Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) A4 Black Duplex Up to 50 cpm Up to 60 cpm (with 8EP63AAE) Up to 70 cpm (with 8EP64AAE) First copy out Letter Black As fast as 3.9 sec As fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE) copy resolution Black (text and graphics);: Up to 600 x 600 dpi As fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE) copier resize 25 to 400% Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture) topier resize 25 to 400% Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed pictur, Document Editing; Auto Paper Color Removal; Job Separation; Automatically Straighten; copier settings Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed pictur, Document Editing; Auto Paper Color Removal; Job Separation; Automatically Straighten; ax speed Up to 336 kbps / Letter: 3 sec per page ax resolution Black (best): Up to 300 agi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax remorory: Up to 500 pages; Up to 500 pages; Auto fax red	opy speed					
First copy out Letter Black As fast as 3.9 sec As fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE First copy out A4 Black As fast as 3.9 sec As fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE Copy resolution Black (text and graphics); Up to 600 x 600 dpi As fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE As fast as 3.9 sec Jas fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE As fast as 3.9 sec Jas fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE As fast as 3.9 sec Jas fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE As fast as 3.9 sec Jas fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP64AAE As fast as 3.9 sec Jas fast as 3.9 sec As fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP63AAE) As fast as 3.9 sec Jas fast as 3.9 sec Jas fast as 3.9 sec Jas fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP63AAE) As fast as 3.9 sec Jas fast as 3.9 sec As fast as 3.9 sec Jas fast as 3.9 sec Jas fast as 3.9 sec Jas fast as 3.9 sec <td></td> <td>Letter Black Duplex</td> <td></td> <td></td> <td></td>		Letter Black Duplex				
First copy out A4 Black As fast as 3.9 sec As fast as 3.4 sec (with 8EP63AAE) As fast as 3.3 sec (with 8EP63AAE) iopy resolution Black (text and graphics): ; Up to 600 x 600 dpi Image: Section 200 x 600 dpi Image: Section 200 x 600 dpi taximum number of copies Up to 9999 copies Section 200 x 600 dpi Image: Section 200 x 600 dpi opier resize 25 to 400% Scalability image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture photograph); N-Up; Nor Zordening; content orientation; collation; bookket; ID scan; job build; job storage; watermark; starps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pape Color Removal; Job Separation; Automatically Stragitten; ax speed Up to: 330 c Msp / Letter: 35 cs per page ax resolution Black (best): Up to 300 vs 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax Features Fax memory: Up to 500 pages; Up to 500 pages; Auto fax reduction supported; Yes Auto-redialing; No Distinctive ring detection supported; No Sm Polling supported; Yes Reav delayed sending; No Distinctive ring detection supported; No Sm Polling supported; Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interfaxe supported; Yes Remote retrieval capability supp No Telephone hands supported; No Sm Polling supported; Yes Maximum speed dialing numbers: U		A4 Black Duplex	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)	
Sopy resolution Black (text and graphics): ; Up to 600 x 600 dpi daximum number of copies Up to 9999 copies copier resize 25 to 400% Copier settings Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed pictur photograph); N-Up. Nor Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Color Removal; Job Separation; Automatically Straighten; ax speed Up to 300 x 300 dpi (400 x 400 dpi preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Multi-feed Detection supported ax resolution Black (best): Up to 300 page; Up to 500 pages; Auto fax reduction supported; Yes (Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported supported; Yes Maximum speed dialing numbers; Up to 1000 numbers (each with 210 destinations) PC interface supported; Yes Maximum speed dialing numbers; Up to 1000 numbers (each with 210 destinations) PC interface supported; Yes Renote retrieval capability supported; Yes (poll to receive only) Fax telephone mode supported; Yes Fax delayed sending; No Distinctive ring detection; Super Speed USB 3.0 (device); 1 Super Speed USB 3.0 (host) 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 H-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 Super Speed USB 3.0 (host) 2 Standard (buil						
Advinum number of copies Up to 9999 copies Copier resize 25 to 400% Copier settings Two-sided copying: scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed pictur, bookget; ID scan; job build; job storage watermark; starngs; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Color Removal; Job Separation; Automatically Straighten; ax speed Up to: 33.6 kbps / Letter: 3 sec per page Back (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax Features Fax memory: Up to 500 pages; Up to 500 pages, Auto fax reduction supported: Yes (poll to receive only) Fax telephone mode supported: No Fax bolling supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: Yes fax fame interation Procket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 standard connectivity 1 Gigabit Tol/100/1000T network; 1 Hardware Integration P			As fast as 3.9 sec	As fast as 3.4 sec (with 8EP63AAE)	As fast as 3.3 sec (with 8EP64AAE)	
copier resize 25 to 400% Copier settings Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed pictur photograph); N-Up; Nor Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Color Removal, Job Separation; Automatically Straighten; cax speed Up to: 33.6 kbps / Letter: 3 sec per page cax resolution Black (best): Up to 300 opi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi cax resolution Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supporter fax forwarding supported: Yes fax phone TAM Interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk b supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC Interface supported: Yes Residue apability supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Residue apability supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Residue apability supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Residue apability supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Residue apability		First copy out Letter Black			As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE)	
Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed pictur orbier settings Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed pictur photograph); N-Up; Nor Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Color Removal; Job Separation; Automatically Straighten; ax speed Up to: 33.6 kbps / Letter: 3 sec per page ax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax Features Fax memory: Up to 500 pages; Up to 500 pages, Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: Yes (poll to receive only) Fax telephone mode supported: No tandard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 vireless capability Optional, enabled with purchase of a hardware accessory fobile printing capability Optional, enabled with purchase of a hardware accessory fobile printing capability Optional, enabled with purchase of a hardware accessory	opy resolution	First copy out Letter Black First copy out A4 Black	As fast as 3.9 sec			
photograph): N-Up; Nor Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Color Removal; Job Separation; Automatically Straighten; ax speed Up to: 33.6 kbps / Letter: 3 sec per page ax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax resolution Black (best): Up to 500 pages; Up to 500 pages; Auto fax reduction supported: Yes Auto-redialing; Yes Fax delayed sending: No Distinctive ring detection supported: No Fax poling supported: Yes fax delayed sending: No Distinctive ring detection supported: No Fax poling supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC Interface supported: Yes Remote retrieval capability supported: Yes fax delayed sending: No Distinctive ring detection; No In telephone mode supported: No itandard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 viperspeed USB 3.0 (host) Viperspeed USB 3.0 (host) Vireless capability Optional, enabled with purchase of a hardware accessory Aobile printing capability Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print ferrory Standard; Bihard disk drive Standard; HP LaserJet 500		First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60	As fast as 3.9 sec			
ax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax Features Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Junk b supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: Yes Maximum speed USB 3.0 (device); 1 Standard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 Vireless capabilities Standard (built-in Gigabit 10/100/1000T Ethernet) Wireless capability Optional, enabled with purchase of a hardware accessory Aobile printing capability Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print Verocessor speed Quad Core (1.6GHz), Dual Core (1.4GHz) Standard, embedded 500 GB hard disk drive Hard disk Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Sec	Maximum number of copies	First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 × 60 Up to 9999 copies	As fast as 3.9 sec			
Fax Features Fax memory: Up to 500 pages, Up to 500 pages, Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supports supported: Yes fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk b supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supports to Telephone handset supported: No Junk b supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supports to Telephone handset supported: No Junk b supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supports to Telephone handset supported: No Junk b supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supports to Telephone handset supported: No Junk b supports to Telephone handset supports to 1000 numbers: Up to 1000 numbers (each with 210 destinations) PC interface supports telephone mode supports to Standard connectivity Standard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host) Wireless capability Optional, enabled with purchase of a hardware accessory Mobile printing capability Apple AirPrint TM ; Mopria TM Certified; Wi-Fi® Direct Printing; NFC	Maximum number of copies Copier resize	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; N or Z-ordering; conte automatically detect color/monochrome;	As fast as 3.9 sec 0 dpi stments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pic 0 scan; job build; job storage; watermark; stam election; collate; Blank Page Suppression; Mult	As fast as 3.3 sec (with 8EP64AAE)	
ax Features Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Ink b supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: Yes Maximum speed USB 3.0 (host) tandard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 super Speed USB 3.0 (host) 1 Super Speed USB 3.0 (host) letwork capabilities Standard (built-in Gigabit 10/100/1000T Ethernet) vireless capability Optional, enabled with purchase of a hardware accessory tobile printing capability Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print temory Standard; GB; Maximum; GB trocessor speed Quad Core (1.6GHz), Dual Core (1.4GHz) torage Standard, embedded 500 GB hard disk drive tard disk Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data Secure ATA Erase-Disk) wuty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64	laximum number of copies iopier resize iopier settings	First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; N or Z-ordering; conte automatically detect color/monochrome; Document Editing; Auto Paper Color Rem	As fast as 3.9 sec 0 dpi stments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pic 0 scan; job build; job storage; watermark; stam election; collate; Blank Page Suppression; Mult	As fast as 3.3 sec (with 8EP64AAE)	
Standard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Ethernet) Wireless capability Optional, enabled with purchase of a hardware accessory Mobile printing capability Apple AirPrint™, Mopria™ Certified; Wi-FI® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print Verocessor speed Quad Core (1.6GHz), Dual Core (1.4GHz) Storage Standard, embedded 500 GB hard disk drive Hard disk Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data Secure ATA Erase-Disk) Duty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64AE)	Aaximum number of copies Copier resize Copier settings	First copy out Letter Black First copy out A4 Black Black (text and graphics): ; Up to 600 x 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; N or Z-ordering; conte automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page	As fast as 3.9 sec 0 dpi istments (darkness, contrast, backg ent orientation; collation; booklet; [i mage preview; Image Shift; Paper S. oval; Job Separation; Automatically !	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pic scan; job build; job storage; watermark; stamp election; collate; Blank Page Suppression; Mult Straighten;	As fast as 3.3 sec (with 8EP64AAE)	
Wireless capability Optional, enabled with purchase of a hardware accessory Mobile printing capability Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print Memory Standard:6 GB; Maximum:6 GB Processor speed Quad Core (1.6GHz), Dual Core (1.4GHz) Storage Standard, embedded 500 GB hard disk drive Hard disk Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data Secure ATA Erase-Disk) Duty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64	Aaximum number of copies Copier resize Copier settings Fax speed Fax resolution	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; N or Z-ordering; conte automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu	As fast as 3.9 sec 0 dpi stments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper S oval; Job Separation; Automatically ! 00 dpi for received faxes only); Blac Dages Auto fax reduction supporte TAM interface supported : No Fax pc	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pic scan; job build; job storage; watermark; stamp election; collate; Blank Page Suppression; Mult Straighten; k (standard): 203 × 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending: lling supported: Yes (poll to receive only) Fax t	As fast as 3.3 sec (with 8EP64AAE) ture (Auto, text, mixed, printed picture, bs; book mode scans; erase edges; efeed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar	
Vireless capability Optional, enabled with purchase of a hardware accessory Abbile printing capability Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print Aemory Standard:6 GB; Maximum:6 GB Processor speed Quad Core (1.6GHz), Dual Core (1.4GHz) Standard, embedded 500 GB hard disk drive Ard disk Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data Secure ATA Erase-Disk) Duty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64	Aaximum number of copies opier resize opier settings ax speed ax resolution ax Features	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; Nor Z-ordering; conte automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ	As fast as 3.9 sec 0 dpi istments (darkness, contrast, backg ent orientation; collation; booklet; ID mage preview; Image Shift; Paper Si oval; Job Separation; Automatically ! 00 dpi for received faxes only); Blac bages Auto fax reduction supported TAM interface supported : No Fax po imbers: Up to 1000 numbers (each	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pic scan; job build; job storage; watermark; stamp election; collate; Blank Page Suppression; Mult Straighten; st (standard): 203 x 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending; lling supported: Yes (poll to receive only) Fax t with 210 destinations) PC interface supported	As fast as 3.3 sec (with 8EP64AAE) ture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar I: Yes Remote retrieval capability suppor	
oblic printing capability Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print temory Standard:6 GB; Maximum:6 GB rocessor speed Quad Core (1.6GHz), Dual Core (1.4GHz) torage Standard, embedded 500 GB hard disk drive ard disk Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data Secure ATA Erase-Disk) uty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64AE)	aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; Nor Z-ordering; conte automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ Super Speed USB 3.0 (host)	As fast as 3.9 sec 0 dpi stments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si val; Job Separation; Automatically 00 dpi for received faxes only); Blac pages Auto fax reduction supportee TAM interface supported : No Fax po Imbers: Up to 1000 numbers (each k; 1 Hardware Integration Pocket 2n	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pic scan; job build; job storage; watermark; stamp election; collate; Blank Page Suppression; Mult Straighten; st (standard): 203 x 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending; lling supported: Yes (poll to receive only) Fax t with 210 destinations) PC interface supported	As fast as 3.3 sec (with 8EP64AAE) ture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar I: Yes Remote retrieval capability suppor	
Image Standard:6 GB; Maximum:6 GB rocessor speed Quad Core (1.6GHz), Dual Core (1.4GHz) torage Standard, embedded 500 GB hard disk drive ard disk Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data Secure ATA Erase-Disk) uty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64AAE)	aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; N or Z-ordering; conte automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ Super Speed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T	As fast as 3.9 sec 0 dpi stments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si val; Job Separation; Automatically 00 dpi for received faxes only); Blac bages Auto fax reduction supporter TAM interface supported: No Fax po imbers: Up to 1000 numbers (each k; 1 Hardware Integration Pocket 2n Ethernet)	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pic scan; job build; job storage; watermark; stamp election; collate; Blank Page Suppression; Mult Straighten; st (standard): 203 x 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending; lling supported: Yes (poll to receive only) Fax t with 210 destinations) PC interface supported	As fast as 3.3 sec (with 8EP64AAE) ture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar I: Yes Remote retrieval capability suppor	
rocessor speed Quad Core (1.6GHz), Dual Core (1.4GHz) torage Standard, embedded 500 GB hard disk drive lard disk Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data Secure ATA Erase-Disk) uty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64AAE)	aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities <i>V</i> ireless capability	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjuphotograph); N-Up; Nor Z-ordering; conteautomatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nor No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ Super Speed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard	As fast as 3.9 sec 0 dpi stments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si val; Job Separation; Automatically 00 dpi for received faxes only); Blac bages Auto fax reduction supported TAM interface supported: No Fax po imbers: Up to 1000 numbers (each k; 1 Hardware Integration Pocket 2n Ethernet) ware accessory	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pio 9 scan; job build; job storage; watermark; stamp election; collate; Blank Page Suppression; Mult Straighten; k (standard): 203 × 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending: lling supported: Yes (poll to receive only) Fax t with 210 destinations) PC interface supportec d generation (HIP2); 1 Hi-Speed USB 2.0 (host	As fast as 3.3 sec (with 8EP64AAE) ture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar I: Yes Remote retrieval capability suppor	
torage Standard, embedded 500 GB hard disk drive lard disk Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data Secure ATA Erase-Disk) uty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64AE)	aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities <i>V</i> ireless capability lobile printing capability	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; Nor Z-ordering; conte automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ Super Speed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™, Mopria™ Certified; Wi-Fi®	As fast as 3.9 sec 0 dpi stments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si val; Job Separation; Automatically 00 dpi for received faxes only); Blac bages Auto fax reduction supported TAM interface supported: No Fax po imbers: Up to 1000 numbers (each k; 1 Hardware Integration Pocket 2n Ethernet) ware accessory	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pio 9 scan; job build; job storage; watermark; stamp election; collate; Blank Page Suppression; Mult Straighten; k (standard): 203 × 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending: lling supported: Yes (poll to receive only) Fax t with 210 destinations) PC interface supportec d generation (HIP2); 1 Hi-Speed USB 2.0 (host	As fast as 3.3 sec (with 8EP64AAE) ture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar I: Yes Remote retrieval capability suppor	
lard disk Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data Secure ATA Erase-Disk) huty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64AAE)	Aaximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities Vireless capability lobile printing capability letwory	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjuphotograph); N-Up; N or Z-ordering; contautomatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fi® Standard:6 GB; Maximum6 GB	As fast as 3.9 sec 0 dpi stments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si val; Job Separation; Automatically 00 dpi for received faxes only); Blac bages Auto fax reduction supported TAM interface supported: No Fax po imbers: Up to 1000 numbers (each k; 1 Hardware Integration Pocket 2n Ethernet) ware accessory	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pio 9 scan; job build; job storage; watermark; stamp election; collate; Blank Page Suppression; Mult Straighten; k (standard): 203 × 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending: lling supported: Yes (poll to receive only) Fax t with 210 destinations) PC interface supportec d generation (HIP2); 1 Hi-Speed USB 2.0 (host	As fast as 3.3 sec (with 8EP64AAE) ture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar I: Yes Remote retrieval capability suppor	
Secure ATA Erase-Disk) Duty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64	Aaximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability Mobile printing capability Aemory Processor speed	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjuphotograph); N-Up; N or Z-ordering; contautomatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fi® Standard:6 GB; Maximum:6 GB Quad Core (1.6GH2), Dual Core (1.4GH2)	As fast as 3.9 sec 0 dpi stments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si val; Job Separation; Automatically 00 dpi for received faxes only); Blac bages Auto fax reduction supported TAM interface supported: No Fax po imbers: Up to 1000 numbers (each k; 1 Hardware Integration Pocket 2n Ethernet) ware accessory Direct Printing; NFC Touch-to-print i	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pio 9 scan; job build; job storage; watermark; stamp election; collate; Blank Page Suppression; Mult Straighten; k (standard): 203 × 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending: lling supported: Yes (poll to receive only) Fax t with 210 destinations) PC interface supportec d generation (HIP2); 1 Hi-Speed USB 2.0 (host	As fast as 3.3 sec (with 8EP64AAE) ture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar I: Yes Remote retrieval capability suppor	
Duty cycle (monthly) Letter: Up to 200,000 pages Up to 250,000 pages (with 8EP63AAE) Up to 300,000 pages (with 8EP64	Vaximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Vetwork capabilities Wireless capability Mobile printing capability Memory Processor speed Storage	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; N or Z-ordering; conte automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ Super Speed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™; Mopria™ Certified; Wi-Fi® Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz), Dual Core (1.4GHz) Standard, embedded 500 GB hard disk driit	As fast as 3.9 sec 0 dpi o dpi estments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si oval; Job Separation; Automatically 00 dpi for received faxes only); Blac bages Auto fax reduction supported TAM interface supported: No Fax po imbers: Up to 1000 numbers (each k; 1 Hardware Integration Pocket 2n Ethernet) ware accessory Direct Printing; NFC Touch-to-print i ve	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pic 9 scan; job build; job storage; watermark; stam election; collate; Blank Page Suppression; Mult Straighten; k (standard): 203 × 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending: lling supported: Yes (poll to receive only) Fax t with 210 destinations) PC interface supported d generation (HIP2); 1 Hi-Speed USB 2.0 (host (optional); PrinterOn Print	As fast as 3.3 sec (with 8EP64AAE) trure (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar I: Yes Remote retrieval capability suppor); 1 SuperSpeed USB 3.0 (device); 1	
	Vaximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Vetwork capabilities Wireless capability Mobile printing capability Memory Processor speed Storage	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; N or Z-ordering; conte automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ Super Speed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™, Mopria™ Certified; Wi-Fi® Standard: G B; Maximum6 GB Quad Core (1.6GH2), Dual Core (1.4GH2) Standard, HP Laser Jet 500GB hard disk dri Standard, HP Laser Jet 500GB hard Disk Dri	As fast as 3.9 sec 0 dpi o dpi estments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si oval; Job Separation; Automatically 00 dpi for received faxes only); Blac bages Auto fax reduction supported TAM interface supported: No Fax po imbers: Up to 1000 numbers (each k; 1 Hardware Integration Pocket 2n Ethernet) ware accessory Direct Printing; NFC Touch-to-print i ve	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pic 9 scan; job build; job storage; watermark; stam election; collate; Blank Page Suppression; Mult Straighten; k (standard): 203 × 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending: lling supported: Yes (poll to receive only) Fax t with 210 destinations) PC interface supported d generation (HIP2); 1 Hi-Speed USB 2.0 (host (optional); PrinterOn Print	As fast as 3.3 sec (with 8EP64AAE) trure (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar I: Yes Remote retrieval capability suppor); 1 SuperSpeed USB 3.0 (device); 1	
	Vaximum number of copies Topier resize Topier settings Tax speed Tax resolution Tax Features Standard connectivity Network capabilities Mireless capability Mobile printing capability Memory Processor speed Storage Hard disk	First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 60 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adju photograph); N-Up; N or Z-ordering; conte automatically detect color/monochrome; Document Editing; Auto Paper Color Rem Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax phone supported: Yes Maximum speed dialing nu No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T networ Super Speed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard Apple AirPrint™, Mopria™ Certified; Wi-Fi® Standard: G B; Maximum6 GB Quad Core (1.6GH2), Dual Core (1.4GH2) Standard, embedded 500 GB hard disk dri Standard, HP Laser Jet 500GB Hard Disk Dri Secure ATA Erase-Disk)	As fast as 3.9 sec 0 dpi istments (darkness, contrast, backg ent orientation; collation; booklet; IC mage preview; Image Shift; Paper Si oval; Job Separation; Automatically ! 00 dpi for received faxes only); Blac orages Auto fax reduction supported TAM interface supported : No Fax poc thermet : Up to 1000 numbers (each k; 1 Hardware Integration Pocket 2n Ethernet) ware accessory Direct Printing; NFC Touch-to-print i ve ve ve; AES 256 hardware encryption; S	As fast as 3.4 sec (with 8EP63AAE) round cleanup, sharpness); optimized text/pic scan; job build; job storage; watermark; stamp election; collate; Blank Page Suppression; Mult Straighten; :k (standard): 203 x 98 dpi : Yes Auto-redialing: Yes Fax delayed sending: lling supported: Yes (poll to receive only) Fax t with 210 destinations) PC interface supported id generation (HIP2); 1 Hi-Speed USB 2.0 (host (optional); PrinterOn Print Secure erase capabilities (Secure File Erase-Tem	As fast as 3.3 sec (with 8EP64AAE) ture (Auto, text, mixed, printed picture, ps; book mode scans; erase edges; i-feed Detection; Reverse and Retry; No Distinctive ring detection supported elephone mode supported: No Junk bar tyes Remote retrieval capability suppor); 1 SuperSpeed USB 3.0 (device); 1); 1 SuperSpeed USB 3.0 (device); 1	

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Imperial: Tray 1, 2, 3: 16 to 86.5 lb bond; Metric: Tray 1, 2, 3: 60 to 325 g/m ²
Media sizes supported	Imperial Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 × 17, 12 × 18, 4 × 6, 5 × 7, 5 × 8,10 × 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 × 17, 12 × 18, 8k, 16k Metric Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10×15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope C6, Envelope D1; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope D2; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope D2; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope D2; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope D1; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), B6 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope D1; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope D1; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, E
Media Sizes Custom	Imperial Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in Metric Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
What's in the box	5QK13A In box materials ; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.
Replacement cartridges ¹	HP Black Managed LJ Toner Cartridge (ISO Yield 60,000) W9085MC
Product dimensions	W x d x h: 25.2 x 29.4 x 36.8 in; 638.8 x 745.9 x 933.9 mm Maximum: 65.2 x 51.2 x 59.2 in; 1656.7 x 1301 x 1503.9 mm
Product weight	182.7 lb; 82.9 kg
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDE & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and SplunK SIEMs
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client 0S; Android; i0S; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 5.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification – Up to Citrix Server 7.18 for more information see http://citrixready.citrix.com, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://hp.co
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available
requirements	hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 870 watts (Soppm, printing), 1010 watts (60ppm, printing), 1090 watts (70ppm, printing), 36.0 watts (ready), 0.9 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.85 Bel(A), printing simplex A4 at 50ppm; 6.95 Bel(A), printing simplex A4 at 60ppm; 7.10 Bel(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 53dB(A), printing simplex A4 at 50ppm; 54dB(A), printing simplex A4 at 60ppm; 55dB(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

Messaging Footnotes

Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber ³ resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims ³ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices

running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit hp.com/wolfsecurity

HP Security Is now HP wolf security. Security features vary by platform, for more information, visit hp.com/worksecurity HP web let and available for download at hp.com/go/webjetadmin Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Tassed on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

⁹100% outer hber-based packaging and internal hber-based cushions made from sustainably sourced certified and recycled notes.
 ⁹100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
 ¹⁰ HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
 ¹¹ HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

¹ Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies. ² Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application,

- driver, and document complexity.
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, ⁴ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software

⁷ Methodology of RMPV calculation for the new generation HP Laser Jet Managed MFP E800/E700 series are based on 60 months to meet typical WW MPS contract period. RMPV may vary higher or lower depending on the contract term. The new HP Laser Jet Managed MFP E800/E700 series maintains or improves engine life.





ents accompanying

To learn more, visit hp.com

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in t such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein varranties for HP products and services are set forth in th February 2023

